

Citations for the 401 data sources contributing to the Threatened Species Index 2025:

1. AAD & Tas Government (2025). Albatross and Giant-Petrel breeding counts (Macquarie Island). Compiled by Dave Connell and Sheryl Hamilton. Australian Antarctic Division and the Department of Natural Resources and Environment Tasmania. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
2. AAD & Tas Government (2025). Black-browed Albatross (Heard Island 1947-2001). Compiled by Dave Connell and Sheryl Hamilton. Australian Antarctic Division and the Department of Natural Resources and Environment Tasmania. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
3. AAD & Tas Government (2025). Southern Giant-Petrel (Antarctic territory). Compiled by Dave Connell and Sheryl Hamilton. Australian Antarctic Division and the Department of Natural Resources and Environment Tasmania. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
4. ACT Government (2025). Baeuerlen's Gentian Monitoring - Flora Monitoring Team. Compiled by Emma Cook and Jessica Fenker. ACT Environment, Planning and Sustainable Development Directorate. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
5. ACT Government (2025). Brindabella Midge orchid monitoring. Compiled by Emma Cook. ACT Environment, Planning and Sustainable Development Directorate. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
6. ACT Government (2025). Canberra spider orchid monitoring. Compiled by Emma Cook. Australian Capital Territory. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
7. ACT Government (2025). Offset monitoring data on Ginninderra Peppercress (*Lepidium ginninderrense*) (ACT). ACT Environment, Planning and Sustainable Development Directorate. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
8. ACT Government (2025). Small Purple pea monitoring (EPSDD). Compiled by Emma Cook. ACT Environment, Planning and Sustainable Development Directorate. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
9. ACT Government (2025). Southern Greater Glider Fauna Team - Spotlighting Monitoring. Compiled by Jenna Ridley and Jessica Fenker. ACT Environment, Planning and Sustainable Development Directorate. Aggregated for the Australian Threatened Species Index, an

- output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
10. ACT Government (2025). Tarengo Leek orchid monitoring. Compiled by Emma Cook and Jessica Fenker. ACT Environment, Planning and Sustainable Development Directorate. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 11. ACT Government (2025). Tuggeranong Lignum monitoring (EPSDD). Compiled by Emma Cook. ACT Environment, Planning and Sustainable Development Directorate. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 12. Alderman R, Gales R, Tuck G, Lebreton J (2025). Shy Albatross monitoring. Compiled by Rachael Alderman and Sheryl Hamilton. Alderman R, Gales R, Tuck G, Lebreton J-D (2012). Global population status of Shy albatross and an assessment of colony-specific trends and drivers. CSIRO Wildlife Research 38: 10.1071/WR10199. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 13. Alpine Resorts Victoria (2025). Monitoring of Alpine Tree Frogs at Mount Hotham Alpine Resort. Alpine Resorts Victoria and Biosis Research. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 14. Anthony D Griffiths, J. Lindley McKay (2025). Short-term monitoring of Merten's Water Monitor and impacts of Cane Toads. Griffiths, A.D., McKay, J.L. (2007). Cane toads reduce the abundance and site occupancy of Merten's water monitor (*Varanus mertensi*). Wildlife Research 34, 609-615. Northern Territory Government. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 15. Arid Recovery (2025). Arid Recovery Monitoring. Compiled by Georgina Neave and Caitlin Rutherford. Arid Recovery. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 16. Arkinstall, C. et al. (2025). Bilby monitoring. Data extracted from research article: 'Arkinstall CM et al. (2024). High survivorship and rapid population growth of the greater bilby (*Macrotis lagotis*) reintroduced to a feral predator exclosure. Wildlife Research 51, WR23076.' The University of Queensland. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 17. Augusteyn J. (2025). Taunton spotlighting and thermal imaging BNT monitoring. Compiled by John Augusteyn. The State of Queensland. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 18. AWC (2025). AWC Brooklyn Wildlife Sanctuary Camera Trapping (Northern Quoll). Compiled by Clare Millen. Australian Wildlife Conservancy. Aggregated for the Australian

- Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
19. AWC (2025). AWC Brooklyn Wildlife Sanctuary Spatial Mark-Resight Trapping (Northern Quoll). Compiled by Clare Millen. Australian Wildlife Conservancy. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 20. AWC (2025). AWC Buckaringa Wildlife Sanctuary Yellow-footed Rock-wallaby Monitoring. Compiled by Clare Millen and AWC staff. Australian Wildlife Conservancy. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 21. AWC (2025). AWC Camera Trapping Mt Lewis and Mt Spurgeon National Park. Compiled by Clare Millen. Australian Wildlife Conservancy. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 22. AWC (2025). AWC Charnley River-Artesian Range Wildlife Sanctuary Monjon surveys. Compiled by Clare Millen. Australian Wildlife Conservancy. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 23. AWC (2025). AWC Faure Banded Hare Wallaby Scat Plot Survey. Compiled by Clare Millen and AWC staff. Australian Wildlife Conservancy. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 24. AWC (2025). AWC Faure Boodie (Shark Bay) Spotlight Survey. Compiled by Clare Millen and AWC staff. Australian Wildlife Conservancy. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 25. AWC (2025). AWC Faure Boodie (Shark Bay) Trapping Survey. Compiled by Clare Millen and AWC staff. Australian Wildlife Conservancy. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 26. AWC (2025). AWC Kalamurina Wildlife Sanctuary Crest-tailed Mulgara - Track Survey. Compiled by Clare Millen and AWC staff. Australian Wildlife Conservancy. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 27. AWC (2025). AWC Kalamurina Wildlife Sanctuary Spatial Mark-Resight Trapping (Crest-tailed Mulgara). Compiled by Clare Millen and AWC staff. Australian Wildlife Conservancy. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 28. AWC (2025). AWC Karakamia Wildlife Sanctuary Woylie Population Survey. Compiled by Clare Millen. Australian Wildlife Conservancy. Aggregated for the Australian Threatened

- Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
29. AWC (2025). AWC Mornington Wildlife Sanctuary Northern Quoll Monitoring. Compiled by Clare Millen. Australian Wildlife Conservancy. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 30. AWC (2025). AWC Mt Gibson Malleefowl mound activity survey. Compiled by Clare Millen and AWC staff. Australian Wildlife Conservancy. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 31. AWC (2025). AWC Newhaven Mala GB post release monitoring. Compiled by Clare Millen and AWC staff. Australian Wildlife Conservancy. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 32. AWC (2025). AWC Newhaven Wildlife Sanctuary Black-footed Rock-wallaby Activity Surveys. Compiled by Samantha Mulvena, Fay Lewis, Clare Millen and AWC staff. Australian Wildlife Conservancy. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 33. AWC (2025). AWC Paruna Chuditch Camera Survey. Compiled by Clare Millen and AWC staff. Australian Wildlife Conservancy. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 34. AWC (2025). AWC Paruna Wildlife Sanctuary Black-flanked Rock-wallaby Trapping. Compiled by Clare Millen and AWC staff. Australian Wildlife Conservancy. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 35. AWC (2025). AWC Piccaninny Plains Wildlife Sanctuary Camera Trapping (Black-footed Tree-rat). Compiled by Clare Millen. Australian Wildlife Conservancy. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 36. AWC (2025). AWC Piccaninny Plains Wildlife Sanctuary Spatial Mark-Resight Trapping (Carpentarian Antechinus). Compiled by Clare Millen. Australian Wildlife Conservancy. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 37. AWC (2025). AWC Pungalina-Seven Wildlife Sanctuary Spatial Mark-Resight Trapping (Carpentarian Antechinus). Compiled by Clare Millen. Australian Wildlife Conservancy. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 38. AWC (2025). AWC Scotia Wildlife Sanctuary Bilby Monitoring. Compiled by Clare Millen. Australian Wildlife Conservancy. Aggregated for the Australian Threatened Species Index,

- an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
39. AWC (2025). AWC Scotia Wildlife Sanctuary Bridled Nailtail Wallaby Monitoring. Compiled by Clare Millen. Australian Wildlife Conservancy. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 40. AWC (2025). AWC Scotia Wildlife Sanctuary Mallee Striated Grasswren Monitoring. Compiled by Clare Millen. Australian Wildlife Conservancy. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 41. AWC (2025). AWC Scotia Wildlife Sanctuary Numbat Monitoring. Compiled by Clare Millen. Australian Wildlife Conservancy. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 42. AWC (2025). AWC Yookamurra Wildlife Sanctuary Bettong Monitoring. Compiled by Clare Millen. Australian Wildlife Conservancy. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 43. AWC (2025). AWC Yookamurra Wildlife Sanctuary Bilby Monitoring. Compiled by Clare Millen and AWC staff. Australian Wildlife Conservancy. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 44. AWC (2025). AWC Yookamurra Wildlife Sanctuary Numbat Monitoring. Compiled by Clare Millen. Australian Wildlife Conservancy. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 45. AWC (2025). Mt Gibson Bilby Exclosure-wide Camera Survey. Compiled by Clare Millen and AWC staff. Australian Wildlife Conservancy. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 46. AWC (2025). Mt Gibson Faure Banded Hare Wallaby Exclosure-wide Camera Survey. Compiled by Clare Millen and AWC staff. Australian Wildlife Conservancy. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 47. AWC (2025). Mt Gibson Numbat Exclosure-wide Camera Survey. Compiled by Clare Millen and AWC staff. Australian Wildlife Conservancy. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 48. AWC (2025). Mt Gibson Red-tailed Phascogale Exclosure-wide Camera Survey. Compiled by Clare Millen and AWC staff. Australian Wildlife Conservancy. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 49. AWC (2025). Mt Gibson Western Barred Bandicoot Exclosure-wide Camera Survey. Compiled by Clare Millen and AWC staff. Australian Wildlife Conservancy. Aggregated for

the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.

50. AWC (2025). Mt Gibson Woylie population survey (years 2016-2022 and 2024) & SBB Harvest trapping (2023). Compiled by Clare Millen and AWC staff. Australian Wildlife Conservancy. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
51. Baker A, Batista S (2025). Antechinus argentus monitoring survey. Compiled by Stephane Batista. Queensland University of Technology. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
52. Baker A, Batista S (2025). Antechinus arktos monitoring survey. Compiled by Stephane Batista. Queensland University of Technology. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
53. Bell, I.P., Meager, J.J., Eguchi, T., Dobbs, K.A., Miller, J.D., Madden Hoff, C.A. (2025). Long-term monitoring Hawksbill Turtle nesting in Queensland. Bell, I.P., Meager, J.J., Eguchi, T., Dobbs, K.A., Miller, J.D., Madden Hoff, C.A. (2020) Twenty-eight years of decline: Nesting population demographics and trajectory of the north-east Queensland endangered hawksbill turtle (*Eretmochelys imbricata*), Biological Conservation, 241, p. 108376. Queensland Department of Environment, Tourism, Science and Innovation. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
54. Benshemesh J (2025). Malleefowl mound monitoring. Compiled by Joe Benshemesh. The National Malleefowl Recovery Team. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
55. BLA (2025). Birddata import 2023. BirdLife Australia. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
56. BLA (2025). Great Cocky Count (Baudin's Black-Cockatoo) monitoring data collated and curated by BirdLife Australia, Melbourne. BirdLife Australia. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
57. BLA (2025). Great Cocky Count (Carnaby's Black-Cockatoo) monitoring data collated and curated by BirdLife Australia, Melbourne. BirdLife Australia. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
58. BLA (2025). Great Cocky Count (Forest Red-tailed Black-cockatoo) monitoring data collated and curated by BirdLife Australia, Melbourne. BirdLife Australia. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.

59. BLA (2025). Northern Rufous Scrub-bird monitoring data collated and curated by BirdLife Australia, Melbourne. BirdLife Australia. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
60. BLA (2025). Orange-bellied Parrot (winter counts) monitoring data collated and curated by BirdLife Australia, Melbourne. BirdLife Australia. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
61. BLA (2025). Shorebird monitoring data collated and curated by BirdLife Australia, Melbourne. BirdLife Australia. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
62. BLA, QWSG (2025). *Limosa lapponica baueri* and *Limosa lapponica menzbieri* shorebird data from BirdLife Australia and the Queensland Wader Studies Group. The geographical cutoff for splitting up the Bar-tailed Godwit species level data was based on the location of Adelaide (longitude 138.6): *baueri* subspecies considered to occur to the east, *menzbieri* subspecies to the west. BirdLife Australia and Queensland Wader Studies Group. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
63. Booth, C. (2025). *Boronia granitica* monitoring data. Compiled by Carol Booth. Stanthorpe Rare Wildflower Consortium. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
64. Booth, C. (2025). *Boronia repanda* monitoring data. Compiled by Carol Booth. Stanthorpe Rare Wildflower Consortium. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
65. Booth, C. (2025). *Eucalyptus dalveenica* monitoring data. Compiled by Carol Booth. Stanthorpe Rare Wildflower Consortium. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
66. Booth, C. (2025). *Grevillea scortechinii* monitoring data. Compiled by Carol Booth. Stanthorpe Rare Wildflower Consortium. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
67. Bronte Van Helden, Hannah Bannister (2025). Carnaby's black cockatoo and western ringtail possum data. Compiled by Bronte Van Helden. South Coast Natural Resource Management. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
68. Bruce C. Chessman, Gerry McGilvray, Shane Ruming, Hugh A. Jones, Kristen Petrov, Darren P. Fielder, Ricky-John Spencer, Arthur Georges (2025). Monitoring of Bellinger River Snapping Turtle. Chessman et al. (2020). On a razor's edge: Status and prospects of the critically endangered Bellinger River snapping turtle, *Myuchelys georgesi*. Aquatic

- Conservation: Marine and Freshwater Ecosystems 30, 586-600. The State of New South Wales. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
69. BTFRT (2025). Black-throated Finch Waterhole Counts. Compiled by April Reside. Black-throated Finch Recovery Team. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 70. Burbidge A, Rolfe J, Mcnee S, Newbey B, Williams M (2025). WA South Coast Threatened Birds Recovery Program. Compiled by Allan Burbidge. Burbidge A, Rolfe J, Mcnee S, Newbey B, Williams M (2007). Monitoring population change in the cryptic and threatened Western Ground Parrot in relation to fire. *Emu*. 107. 10.1071/MU06016. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 71. Burbidge, A.A, Kuchling, G. (2025). Long-term monitoring of Western Swamp Tortoise in Western Australia. Burbidge, A. and Kuchling, G. (2004). Western Swamp Tortoise (*Pseudemydura umbrina*) Recovery Plan. Western Australian Department of Conservation and Land Management. State of Western Australia. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 72. Callen R, Silcock J (2025). R. Callen & J. Silcock, unpublished data on *Grevillea hodgei*. Compiled by Jen Silcock. The University of Queensland. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 73. Carter O (2025). Unpublished data on *Phebalium daviesii* from the Tasmanian threatened flora database. Compiled by Oberon Carter. National Action Plan for Australia's Imperilled Plants (draft). Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 74. Christy, M. (2025). Monitoring of *Litoria aurea* at Homebush Bay and Kurnell, Sydney. Christy, M. (2001). Ecology and Conservation Biology of the Green and Golden Bell Frog (*Litoria aurea*). PhD thesis, The University of Sydney. The University of Sydney. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 75. City and Environment Directorate, ACT Government (2025). Long-term monitoring of the Canberra Earless Dragon. Compiled from: DCCEEW (2022). Consultation on Species Listing Eligibility and Conservation Actions. *Tympanocryptis lineata* (Canberra grassland earless dragon). DCCEEW, Canberra. City and Environment Directorate, ACT Government. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 76. City and Environment Directorate, ACT Government (2025). Long-term monitoring of the Northern Corroboree Frog in the ACT. Compiled by Stephanie Pulsford. City and Environment Directorate, ACT Government. Aggregated for the Australian Threatened

- Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
77. City and Environment Directorate, ACT Government (2025). Long-term monitoring of the Pink-tailed Worm-lizard in the ACT by the Pink-tailed Worm-lizard Fauna Team. Compiled by Richard Milner. City and Environment Directorate, ACT Government. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 78. City and Environment Directorate, ACT Government (2025). Long-term monitoring of the Striped Legless Lizard by the Striped Legless Lizard Offsets Team. City and Environment Directorate, ACT Government. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 79. City of Whittlesea (2025). Monitoring of Growling Grass Frogs at the City of Whittlesea quarry, undertaken by Peter Homan Fauna Consultancy. City of Whittlesea and Peter Homan Fauna Consultancy. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 80. Coliban Water (2025). Annual monitoring of *Litoria raniformis* at the Bendigo Wastewater Reclamation Plant, Epsom. Coliban Water. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 81. Colin J Limpus, C. Parmenter, D. Limpus (2025). Limpus, C. J., J. Parmenter, et al. (2000). The Status of Flatback Turtle, *Natator depressus*, in Eastern Australia. Proceedings of the twentieth annual symposium on sea turtle biology and conservation, Orlando, Florida, U.S.A., US Department of Commerce. Living Planet Index. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 82. Colin J. Limpus, Diane Anderson, Kyle Debets, Janine Ferguson, Leisa Fien, Duncan J. Limpus, Maree McLaren and Nicole Murnane (2025). Long-term monitoring of Loggerhead and Flatback Turtles in Queensland. Queensland Turtle Conservation Project: Data Report for Marine Turtle Breeding on the Woongarra Coast, 2021-2022 Breeding Season. Queensland Department of Environment, Tourism, Science and Innovation. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 83. Colin J. Limpus, Milani Chaloupka, Janine Ferguson, Nancy N. FitzSimmons, C. John Parmenter (2025). Model-based estimates of number of nesters of Flatback Turtle in Queensland. Limpus, C. et al. (2020) The Flatback turtle, *Natator depressus*, in Queensland: population size and trends. Department of Environment and Science, Brisbane. The State of Queensland and Gladstone Port Authority. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 84. Colin Limpus (2025). Long-term monitoring of Green Turtle nesting at North West Cape, WA. Limpus (2008). A Biological Review of Australian Marine Turtles: 2. Green Turtle *Chelonia mydas*. The State of Queensland. Aggregated for the Australian Threatened

- Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
85. Colin Limpus (2025). Monitoring Loggerhead Turtles at multiple nesting sites. A Biological Review of Australian Marine Turtles. 1. Loggerhead Turtle *Caretta caretta* (Linnaeus). Queensland Environmental Protection Agency. Queensland. The State of Queensland. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 86. Colin Limpus (2025). Monitoring Loggerhead Turtles at multiple sites. A Biological Review of Australian Marine Turtles. 1. Loggerhead Turtle *Caretta caretta* (Linnaeus). Queensland Environmental Protection Agency. Queensland. The State of Queensland. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 87. Collier P, Garnett R, Carter O, Dick J, Dickson C (2025). Owners of Rubicon covenanted property: orchid monitoring data, see annual reports at DPIPWE or the Tasmanian Land Conservancy. Compiled by Phil Collier and Cath Dickson. Rubicon Sanctuary and Tasmanian Land Conservancy. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 88. Collier P, Garnett R, Carter O, Dick J, Wapstra M (2025). Forico and Threatened Plants Tasmania, Wildcare Tasmania Inc. (2016 MOU), see 2017 report at DPIPWE and Forico. Compiled by Phil Collier and Mark Wapstra. Forico, Threatened Plants Tasmania and Wildcare Tasmania. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 89. Collier P, Garnett R, Carter O, Dick J, Wapstra M (2025). Forico and Threatened Plants Tasmania, Wildcare Tasmania Inc. (2016 MOU), shared data. Compiled by Phil Collier and Mark Wapstra. Forico, Threatened Plants Tasmania and Wildcare Tasmania. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 90. Collingwood T (2025). *Rhodamnia rubescens* data. Compiled by Teghan Collingwood. The University of Queensland. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 91. Comer S, Clausen L, Cowen S, Pinder J, Thomas A, Burbidge AH, Tiller C, Algar D, Speldewinde P. (2025). Western Ground Parrot monitoring. Data extracted from research article: 'Comer S, Clausen L, Cowen S, Pinder J, Thomas A, Burbidge AH, Tiller C, Algar D, Speldewinde P. (2020) Integrating feral cat (*Felis catus*) control into landscape-scale introduced predator management to improve conservation prospects for threatened fauna: a case study from the south coast of Western Australia. *Wildlife Research* 47, 762-778. <https://doi.org/10.1071/WR19217>'. WA Department of Biodiversity, Conservation and Attractions. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.

92. Conservation Science Research Group (2025). Monitoring of Northern and Southern Heath Frogs in New South Wales. Compiled by Kaya Klop-Toker. The University of Newcastle. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
93. Cremasco, P (2025). Spotted-tailed Quoll monitoring in Cullendore, border of QLD and NSW. Compiled by Peter Cremasco. Peter Cremasco. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
94. Cunningham, C.X., Comte, S., McCallum, H., Hamilton, D.G., Hamede, R., Storfer, A., Hollings, T., Ruiz-Aravena, M., Kerlin, D.H., Brook, B.W., Hocking, G. and Jones, M.E. (2025). Tasmanian Devil monitoring - Spatially explicit capture-recapture model outputs derived from standardised capture-mark-recapture live trapping surveys. Cunningham, C.X., Comte, S., McCallum, H., Hamilton, D.G., Hamede, R., Storfer, A., Hollings, T., Ruiz-Aravena, M., Kerlin, D.H., Brook, B.W., Hocking, G. and Jones, M.E. (2021), Quantifying 25 years of disease-caused declines in Tasmanian devil populations: host density drives spatial pathogen spread. *Ecology Letters*, 24: 958-969. <https://doi.org/10.1111/ele.13703>. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
95. D. R. Michael, D. G. Nimmo, E. Stevens, T. Schlen and S. Wassens (2025). Short-term monitoring of Grey Snake (*Hemiaspis damelii*) in south-western NSW. Michael et al. (2023). Finding Ngabi (*Hemiaspis damelii*): factors affecting the use of modified floodplain wetlands by an endangered snake. *Wildlife Research* 50, 1131-1140. Charles Sturt University. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
96. Daly, G. (2025). Surveys for *Litoria aurea* conducted from 1996-2014 on the Crookhaven River floodplain. Daly, G. (2014). From rags to riches and back again: fluctuations in the Green and Golden Bell Frog *Litoria aurea* population at Nowra on the south coast of New South Wales. *Australian Zoologist* 37, 157-172. Gaia Research. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
97. Daly, G., Craven, P., Hyatt, A. (2025). Monitoring of *Litoria aurea* at Meroo National Park, NSW. Daly, G., Craven, P., Hyatt, A. (2008). Surveys for the Green and Golden Bell Frog *Litoria aurea* at Meroo National Park on the south coast of New South Wales. *Australian Zoologist* 34, 303-313. Gaia Research. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
98. Darren M. Southwell, Danae Moore, Steve McAlpin, Edward M. J. Blackwood, Andrew Schubert, Kiwirrkurra Rangers, Adam S. Smart, Samuel D. Merson, Margarita Goumas, Nicholas A. Macgregor and Rachel M. Paltridge (2025). Long-term monitoring of Great Desert Skink in central Australia. Southwell, D. et al. (2025). Fire regimes drive population trends of a threatened lizard in the central and western deserts of Australia. *Wildlife Research* 52, WR24135. The University of Newcastle. Aggregated for the Australian

- Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
99. Davies H, Neave G (2025). Tiwi Mammal Monitoring. Compiled by Hugh Davies and Georgina Neave. Charles Darwin University. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 100. Davies R (2025). Superb Groundsel (*Senecio megaglossus*) adjacent to The Dutchmans Stern Conservation Park in South Australia. Compiled by Rick Davies. Davies, R (2004). The endangered Superb Groundsel (*Senecio megaglossus*) in and adjacent to The Dutchmans Stern Conservation Park in South Australia. Consultant's report to Yorke and Mid-North Region, Department for Environment and Heritage. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 101. Davies R-JP (2025). Monitoring of vulnerable daisy *Senecio macrocarpus* in Messent Conservation Park, South Australia. Compiled by Rick Davies. Davies R-JP (2009, 2005a, 2005b). The monitoring of the impact of fire and hydrological change on the nationally threatened daisy *Senecio macrocarpus* in Messent Conservation Park in the Upper South East of South Australia, 1992-2009. Consultant's report prepared for South East Region, Department for Environment & Heritage. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 102. Davies R-JP (2025). Population Trends for Threatened Plant Species in Parks and Pastoral Leases in South Australia - *Acacia menzelsii*. Compiled by Rick Davies. Davies, R (2000). Population Trends for Threatened Plant Species in Parks and Pastoral Leases in South Australia. Report prepared for the Department for Environment and Heritage. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 103. Davies R-JP (2025). Population Trends for Threatened Plant Species in Parks and Pastoral Leases in South Australia - *Balcanoona Wattle*. Compiled by Rick Davies. Davies, R (2000). Population Trends for Threatened Plant Species in Parks and Pastoral Leases in South Australia. Report prepared for the Department for Environment and Heritage. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 104. Davies R-JP (2025). Population Trends for Threatened Plant Species in Parks and Pastoral Leases in South Australia - *Birds Nest Wattle*. Compiled by Rick Davies. Davies, R (2000). Population Trends for Threatened Plant Species in Parks and Pastoral Leases in South Australia. Report prepared for the Department for Environment and Heritage. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 105. Davies R-JP (2025). Population Trends for Threatened Plant Species in Parks and Pastoral Leases in South Australia - *Caladenia gladiolata*. Compiled by Rick Davies. Davies, R (2000). Population Trends for Threatened Plant Species in Parks and Pastoral Leases in South Australia. Report prepared for the Department for Environment and Heritage. Aggregated

- for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 106.** Davies R-JP (2025). Population Trends for Threatened Plant Species in Parks and Pastoral Leases in South Australia - *Codonocarpus pyramidalis*. Compiled by Rick Davies. Davies, R (2000). Population Trends for Threatened Plant Species in Parks and Pastoral Leases in South Australia. Report prepared for the Department for Environment and Heritage. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 - 107.** Davies R-JP (2025). Population Trends for Threatened Plant Species in Parks and Pastoral Leases in South Australia - *Pleuropappus phyllocalymmeus*. Compiled by Rick Davies. Davies, R (2000). Population Trends for Threatened Plant Species in Parks and Pastoral Leases in South Australia. Report prepared for the Department for Environment and Heritage. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 - 108.** Davies R-JP (2025). Population Trends for Threatened Plant Species in Parks and Pastoral Leases in South Australia - *Prasophyllum pallidum*. Compiled by Rick Davies. Davies, R (2000). Population Trends for Threatened Plant Species in Parks and Pastoral Leases in South Australia. Report prepared for the Department for Environment and Heritage. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 - 109.** Davies R-JP (2025). Population Trends for Threatened Plant Species in Parks and Pastoral Leases in South Australia - *Pterostylis arenicola*. Compiled by Rick Davies. Davies, R (2000). Population Trends for Threatened Plant Species in Parks and Pastoral Leases in South Australia. Report prepared for the Department for Environment and Heritage. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 - 110.** Davies R-JP (2025). Population Trends for Threatened Plant Species in Parks and Pastoral Leases in South Australia - *Pterostylis cucullata*. Compiled by Rick Davies. Davies, R (2000). Population Trends for Threatened Plant Species in Parks and Pastoral Leases in South Australia. Report prepared for the Department for Environment and Heritage. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 - 111.** Davies R-JP (2025). Population Trends for Threatened Plant Species in Parks and Pastoral Leases in South Australia - Resin Wattle. Compiled by Rick Davies. Davies, R (2000). Population Trends for Threatened Plant Species in Parks and Pastoral Leases in South Australia. Report prepared for the Department for Environment and Heritage. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.

- 112.** DBCA (2025). Survey based counts of *Spicospina flammocaerulea* at key monitoring sites in south-western Western Australia. Data compiled by Janine Liddelow. The State of Western Australia. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 113.** DBCA (2025). Time-series of calling detections of *Spicospina flammocaerulea* from acoustic monitoring using Songmeters. The State of Western Australian. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 114.** Department of Biodiversity, Conservation and Attractions (DBCA) (2025). Pilbara Northern Quoll monitoring program. Compiled by Harry Moore. The State of Western Australia. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 115.** DETSI (2025). Nangur spiny skink population monitoring program. Compiled by Dan Ferguson. Queensland Department of Environment, Tourism, Science and Innovation. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 116.** Dickson C (2025). Nationally threatened flora status assessment in the South East of South Australia. Compiled by Mark Bachmann. Dickson C.R. (2016) Nationally threatened flora status assessment in the South East of South Australia. Report to Department of Environment, Water and Natural Resources, Government of South Australia. NGT Consulting - Nature Glenelg Trust, Mount Gambier, South Australia. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 117.** Director of National Parks (2025). Christmas Island endemics monitoring. Compiled by Nick Macgregor. Director of National Parks. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 118.** Director of National Parks (2025). Christmas Island Flying-fox island-wide surveys. Compiled by Nick Macgregor. Director of National Parks. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 119.** Doody, J.S., Rhind, D., Green, B., Castellano, C., McHenry, C., Clulow, S. (2025). Long-term monitoring of monitor lizards in the Daly River catchment. Doody, J. S., et al. (2017). Chronic effects of an invasive species on an animal community. *Ecology* 98, 2093-2101. Living Planet Index. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 120.** Dr Robin Leppitt (2025). Alligator Rivers Yellow Chat monitoring. Compiled by Robin Leppitt. Charles Darwin University. Aggregated for the Australian Threatened Species

- Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 121.** Driessen MM (2025). Lake St Clair Planned Burn Mammal Survey. Compiled by Michael Driessen. Driessen MM (1999) Effects of fire on the broad-toothed mouse, *Mastacomys fuscus*, and other small mammals in buttongrass moorlands of western Tasmania - preliminary findings. In: The Proceedings of the Australian Bushfire Conference, Albury Australia 7-9 July 1999. pp 119-126. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 - 122.** Driessen MM, Jarman PJ, Visoiu M, Dewar E (2025). Peter Murrell Reserves Mammal Survey. Compiled by Michael Driessen. Driessen, M. M., Jarman, P. J., Visoiu, M., and Dewar, E. (2021). Mammal responses to moderate-intensity planned burning in a small, isolated woodland reserve. *Wildlife Research* 48, 561-576. doi: 10.1071/WR20165. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 - 123.** Driscoll, D. (2025). Mark-recapture monitoring of *Anstisia vittellina*. Driscoll, D. (1998) Counts of calling males as estimates of population size in the endangered frogs *Geocrinia alba* and *G. vittellina*. *Journal of Herpetology* 32, 475-481. The University of Western Australia. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 - 124.** Duncan M (2025). National Recovery Plan for the Bald-tip Beard Orchid *Calochilus richiae*. Compiled by Jennifer Silcock. Duncan, M. (2010). National Recovery Plan for the Bald-tip Beard Orchid *Calochilus richiae*. Department of Sustainability and Environment, Melbourne. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 - 125.** FCNSW (2025). Forestry Corporation of NSW Long-nosed Potoroo Monitoring. Data compiled by Rohan Bilney. The State of New South Wales. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 - 126-129.** FCNSW (2025). Long-term monitoring of *Pseudophryne pengilleyi* in NSW. Data compiled by Rohan Bilney. The State of New South Wales. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 - 130.** FCNSW (2025). Tadpole monitoring for Southern Owl Frog in south-eastern NSW, Forestry Corporation of New South Wales. Data compiled by Rohan Bilney. The State of New South Wales. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 - 131.** FCNSW (2025). Yellow-bellied Glider Monitoring Bago Plateau. Data compiled by Rohan Bilney. Forestry Corporation of NSW. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.

- 132.** Fisher D (2025). Bridled naitail wallaby - UQ field course monitoring BIOL3016. Compiled by Diana Fisher. The University of Queensland. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 133.** Fisher D (2025). Yellow-footed Rock-wallaby - UQ field course monitoring BIOL3016. Compiled by Diana Fisher. The University of Queensland. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 134.** Garry Daly (2025). Monitoring of *Litoria watsoni* in the Crookhaven region, NSW. Daly, G. et al. (2024). Long-term monitoring of Watson's Tree Frog *Litoria watsoni* and other lotic species of amphibian in the Shoalhaven Local Government Area, New South Wales. Australian Zoologist 44, 77-102. Gaia Research. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 135.** Gillespie, G., Hunter, D., Berger, L., Marantelli, G. (2025). Monitoring of the decline and extinction of *Litoria spenceri* at Bogong Creek. Gillespie, G., Hunter, D., Berger, L., Marantelli, G. (2015). Rapid decline and extinction of a montane frog population in southern Australia follows detection of the amphibian pathogen *Batrachochytrium dendrobatidis*. Animal Conservation 18, 295-302. The University of Melbourne. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 136.** Goldingay R (2025). Yellow-bellied glider monitoring. Compiled by Ross Goldingay. Southern Cross University. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 137.** Goldingay, R. Bolitho, L. Newell, D. (2025). Mark-recapture estimates of population size of Green and Golden Bell Frogs at Yuraygir National Park, NSW. Goldingay, R. Bolitho, L. Newell, D. (2020). Population stability in an unmanaged population of the green and golden bell frog in northern New South Wales, Australia. Australian Journal of Zoology 60, 126-135. Southern Cross University. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 138.** Goldingay, R., Lewis, B. (2025). Monitoring and mark-recapture estimates of population size for *Litoria aurea* in the Illawarra region. Goldingay, R., Lewis, B. (1999). Development of a conservation strategy for the Green and Golden Bell Frog *Litoria aurea* in the Illawarra Region of New South Wales. Australian Zoologist 31, 376-387. Southern Cross University. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 139.** Gordon G, deVilliers D (2025). Oakey koala surveys (1972 to 2010), unpublished data. Compiled by Harriet Preece. The State of Queensland. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 140.** Grimm W (2025). *Genoplesium baueri* monitoring Ku-ring-gai Chase NP & Ku-ring-gai Wildflower Garden populations. Compiled by Wendy Grimm. Macquarie University.

- Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 141.** Groom, R. A., A. D. Griffiths, and M. Chaloupka (2025). Monitoring of Flatback Turtle nesting in the Northern Territory. Groom, R. A. et al. 2017. Estimating long-term trends in abundance and survival for nesting flatback turtles in Kakadu National Park, Australia. *Endangered Species Research* 32, 203-211. Living Planet Index. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 - 142.** Grundlehner, A., Smith, J.N., Bannister, J.L., Andrews-Goff, V., Brasier, M., Double, M.C. and Corney, S.P. (2025). The End of an Era? Trends in Abundance and Reproduction of Australian Southern Right Whales (*Eubalaena australis*) Suggest Failure to Re-Establish Pre-Whaling Population Size. *Glob Change Biol*, 31: e70218.
<https://doi.org/10.1111/gcb.70218>. Data extracted from the Dryad Digital Repository <https://datadryad.org/dataset/doi:10.5061/dryad.9s4mw6mth>. The University of Tasmania. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 - 143.** Hattingh, K., Richardson, P., Butcher, M. (2025). Monitoring of marine turtle nesting at Gnarlou Station. Hattingh et al. (2013). Gnarlou Turtle Conservation Program and Gnarlou Feral Animal Control Program. Proceedings of the First Western Australian Marine Turtle Symposium 28-29th August 2012. Science Division, Department of Parks and Wildlife, Perth, Western Australia. Department of Biodiversity, Conservation and Attractions. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 - 144.** Hayes C (2025). Conservation ecology of Sharman's rock-wallaby at Mount Zero-Taravale - PhD project . Compiled by Catherine Hayes. Australian Wildlife Conservancy, The University of Queensland. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 - 145.** Heard, G., Robertson, P., Scroggie, M., Parris, K., McCarthy, M., West, M. (2025). Monitoring of *Litoria raniformis* and sympatric species across northern Melbourne, Victoria. The University of Queensland. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 - 146.** Heinze D (2025). Long-term Mountain Pygmy-possum monitoring. Compiled by Dean Heinze. Dean Heinze. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 - 147.** Hernandez-Santin L, Fisher D (2025). Northern quoll monitoring - UQ. Compiled by Diana Fisher. The University of Queensland. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.

- 148.** Hines, H., Meyer, E. (2025). Change in patch occupancy for *Taudactylus pleione* inferred from long-term monitoring. The State of Queensland and Ed Meyer. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 149.** Hines, H., Meyer, E. (2025). Long-term monitoring of *Litoria olongburensis* at Bribie Island, Queensland. The State of Queensland and Ed Meyer. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 150.** Hollanders, M., Grogan, L., Nock, C., McCallum, H., Newell, D. (2025). Mark-recapture surveys for *Mixophyes fleayi* at three sites in northern NSW. Hollanders, M., Grogan, L., Nock, C., McCallum, H., Newell, D. (2022). Recovered frog populations coexist with endemic *Batrachochytrium dendrobatidis* despite load-dependent mortality. *Ecological Applications*, 33:e2724. Southern Cross University. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 151.** Hollis, G. (2025). Monitoring of *Philoria frosti* across the Baw Baw plateau. Hollis (2004). *Ecology and Conservation Biology of the Baw Baw Frog Philoria frosti (Anura: Myobatrachidae): Distribution, Abundance, Autoecology and Demography*. PhD thesis, The University of Melbourne. The University of Melbourne. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 152.** Hoskin, C. (2025). Long-term monitoring of threatened, near-threatened and previously threatened frog species in the Wet Tropics regions of Queensland (*Litoria rheocola*, Carbine Tableland). James Cook University. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 153.** Hoskin, C. (2025). Long-term monitoring of threatened, near-threatened and previously threatened frog species in the Wet Tropics regions of Queensland (*Litoria rheocola*, Mt Lewis). James Cook University. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 154.** Hoskin, C. (2025). Long-term monitoring of threatened, near-threatened and previously threatened frog species in the Wet Tropics regions of Queensland: *Litoria lorica*. James Cook University. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 155.** Hoskin, C., Bertola, L. (2025). Long-term monitoring of threatened, near-threatened and previously threatened frog species in the Wet Tropics regions of Queensland: *Litoria myola*. James Cook University. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 156.** Hoskin, C., Puschendorf, R. (2025). Long-term monitoring of threatened, near-threatened and previously threatened frog species in the Wet Tropics regions of Queensland: *Litoria lorica* re-discovery. James Cook University. Aggregated for the Australian Threatened

- Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
157. Houston W (2025). Capricorn Yellow Chat annual trend data 2004-2016. Compiled by Wayne Houston. Central Queensland University. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 158. Humphries, R., Osborne, W. (2025). Consolidation of early monitoring and surveys for *Litoria aurea* and *L. raniformis* in the Southern Tablelands of NSW and the ACT. Humphries, R. (1979). Dynamics of a breeding frog community. PhD thesis, The Australian National University. Osborne, W. (1996). Former distribution and apparent disappearance of the *Litoria aurea* complex from the Southern Tablelands of New South Wales and the Australian Capital Territory. Australian Zoologist 30, 190-198. The Australian National University; The University of Canberra. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 159. Hunter, D. (2025). Mark-recapture monitoring of *Litoria booroolongensis* at three sites in NSW. Hunter (2007). Conservation Management of Two Threatened Frog Species in South-Eastern New South Wales, Australia. PhD thesis, The University of Canberra. The University of Canberra. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 160. Hunter, D. (2025). Monitoring the abundance of calling male *Pseudophryne corroboree* during a population augmentation experiment. Hunter (2007). Conservation Management of Two Threatened Frog Species in South-Eastern New South Wales, Australia. PhD thesis, The University of Canberra. The University of Canberra. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 161. Jonathan K. Webb, Chris J. Jolly, Meagan Hinds, Craig Adams, Santiago Cuartas-Villa, Yingyod Lapwong, Mike Letnic (2025). Long term monitoring of Broad-headed Snake in NSW. Webb et al. 2023: Effects of the Australian 2019-2020 megafires on a population of endangered broad-headed snakes *Hoplocephalus bungaroides*. Austral Ecology 48, 24-30. University of Technology Sydney. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 162. Jordan A. Thomson (2025). Boat-based surveys of Loggerhead Turtles at Shark Bay. Thomson, J. (2011). Quantifying the Abundance, Distribution and Behaviour of a Generalist Marine Consumer, the Loggerhead Turtle, in Coastal Foraging Habitat, Shark Bay, Western Australia. PhD thesis, Simon Fraser University. Simon Fraser University. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 163. Jordan, R (2025). Southern Rufous Scrub-bird (New England). Compiled by Richard Jordon. EmuTours. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.

- 164.** J-P. Emery, M.Hollanders, L.Valentine, B. Tiernan, K. Retallick, H. Cogger, J. C. Z. Woinarski & N. J. Mitchell (2025). Evaluation of trial reintroductions of two extinct in the wild reptile species on Christmas Island. Emery, J-P. et al. (2024). Evaluation of trial reintroductions of two extinct in the wild reptile species on Christmas Island. *Animal Conservation* 28, 19-32. The University of Southern Queensland. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 165.** Julie Schofield, Aaron L. Fenner, Kelly Pelgrim, C. Michael Bull (2025). Short-term monitoring of Adelaide Pygmy Bluetongues in South Australia. Schofield et al. (2012). Male-biased movement in pygmy bluetongue lizards: implications for conservation. *Wildlife Research* 39, 677-684. Flinders University. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 166.** Kaluza J (2025). Long term monitoring dataset of the threatened Water Mouse. Compiled by Janina Kaluza. Janina Kaluza. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 167.** Kasey Stamation (2025). Southern Right Whale SE AUS population long-term monitoring. The Australasian Right Whale Photo-Identification Catalogue. Compiled by Kasey Stamation. The State of Victoria. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 168.** Koehler, S., Gilmore, D., Newell, D. (2025). Monitoring of a translocated population of *Litoria raniformis* in Epping, Victoria. Koehler, S., Gilmore, D., Newell, D. (2014). Translocation of the threatened Growling Grass Frog *Litoria raniformis*: a case study. *Australian Zoologist* 37, 321-336. Biosis Research and Southern Cross University. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 169.** LaTrobe University (2025). LaTrobe Mallee fire and biodiversity project. LaTrobe University. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 170.** Laurance, W., McDonald, K. Spears, R. (2025). Counts of stream frogs detected along transects before and after the arrival of chytrid fungus. Laurance, W., McDonald, K. Spears, R. (1996) Epidemic disease and the catastrophic decline of Australian rainforest frogs. *Conservation Biology* 10, 406-413. James Cook University. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 171.** Law, B., Gonsalves, L., Brassil, T., and Kerr, I. (2025). Koala occupancy between 2015-2017 and 2021 using dynamic occupancy modelling. Data extracted from published research article: Law, B., Gonsalves, L., Brassil, T., and Kerr, I. (2024). Broad-scale acoustic monitoring of koala populations suggests metapopulation stability, but varying bellow rate, in the face of major disturbances and climate extremes. *Ecology and Evolution*, 14, e11351. New South Wales Government. Aggregated for the Australian Threatened Species

- Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 172.** Lazenby B. (2025). Tassie Devil monitoring via live trapping. Compiled by Billie Lazenby. The State of Tasmania. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 - 173.** Lazenby BT, Tobler MW, Brown WE, Hawkins CE, Hocking GJ, Hume F, Huxtable S, Iles P, Jones ME, Lawrence C, Thalmann S, Wise P, Williams H, Fox S and Pemberton D (2025). Save The Tasmanian Devil Program monitoring. Dryad Digital Repository. Compiled by Samantha Fox. Lazenby BT, Tobler MW, Brown WE, Hawkins CE, Hocking GJ, Hume F, Huxtable S, Iles P, Jones ME, Lawrence C, Thalmann S, Wise P, Williams H, Fox S and Pemberton D (2018) 'Density trends and demographic signals uncover the long-term impact of transmissible cancer in Tasmanian devils', *The Journal of applied ecology*, 55(3):1368-1379, doi:10.1111/1365-2664.13088. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 - 174.** Lazenby BT, Tobler MW, Brown WE, Hawkins CE, Hocking GJ, Hume F, Huxtable S, Iles P, Jones ME, Lawrence C, Thalmann S, Wise P, Williams H, Fox S and Pemberton D (2025). Tasmanian Devil monitoring - Spatially explicit capture-recapture model outputs derived from standardised capture-mark-recapture live trapping surveys. Lazenby BT, Tobler MW, Brown WE, Hawkins CE, Hocking GJ, Hume F, Huxtable S, Iles P, Jones ME, Lawrence C, Thalmann S, Wise P, Williams H, Fox S and Pemberton D (2018) 'Density trends and demographic signals uncover the long-term impact of transmissible cancer in Tasmanian devils', *The Journal of applied ecology*, 55(3):1368-1379, doi:10.1111/1365-2664.13088. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 - 175.** Lewis, B., Goldingay, R. (2025). Monitoring of *Litoria longiburensis* across northern NSW, 1996-2000. Lewis, B. and Goldingay, R. (2005). Population monitoring of the vulnerable wallum sedge frog (*Litoria longiburensis*) in north-eastern New South Wales. *Australian Zoologist* 53, 185-194. Southern Cross University. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 - 176.** Lindenmayer D (2025). Nanangroe Plantation Plot Network: Bird Point Count Data, Southwest Slopes, NSW, Australia, 1998-2011. Long Term Ecological Research Network. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 - 177.** Lord Howe Island Board (2025). Lord Howe Woodhen census. Compiled by Nicholas Carlile. Lord Howe Island Board. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 - 178.** Lowe, K. Castley, J., Hero, J-M. (2025). Monthly counts of adult *Litoria longiburensis* for burnt sites and unburnt sites in south-east Queensland. Lowe, K. Castley, J., Hero, J-M. (2013). Acid frogs can stand the heat: amphibian resilience to wildfire in coastal wetlands of eastern Australia. *International Journal of Wildland Fire* 22, 947-958. Griffith University.

- Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 179.** Lukoschek, V., Beger, M., Ceccarelli, D., Richards, Z., Pratchett, M. (2025). Long-term monitoring of seasnakes at Ashmore Reef. Lukoschek, V., et al. (2013). Enigmatic declines of Australia sea snakes from a biodiversity hotspot. *Biological Conservation* 166, 191-202. Living Planet Index. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 - 180.** Lunney D, Predavec M, Miller I, et al (2025). Saving our Species monitoring - Interpreting patterns of population change in koalas from long-term datasets in Coffs Harbour. Data compiled by Stephanie Stuart and Renae Hockey. Lunney et al. (2016). Interpreting patterns of population change in koalas from long-term datasets in Coffs Harbour on the north coast of New South Wales. *Australian Mammalogy*, 2016, 38, 29-43. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 - 181.** Lunney D, Predavec M, Sonawane I et al (2025). Saving our Species monitoring - The remaining koalas of the Pilliga forests. Data compiled by Stephanie Stuart and Renae Hockey. Lunney, D., Predavec, M., Sonawane, I., et al. (2017). The remaining koalas (*Phascolarctos cinereus*) of the Pilliga forests, north-west New South Wales: refugial persistence or a population on the road to extinction? *Pacific Conservation Biology*, 23, 277-294. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 - 182.** Lupone, L., Cooke, R., Rendall, A. R., Siegrist, A., Penton, C., Carlyon, M., Ouchtomsky, T., and White, J. G. (2025). Small mammal monitoring - Gariwerd-Grampians National Park. Lupone, L., Cooke, R., Rendall, A. R., Siegrist, A., Penton, C., Carlyon, M., Ouchtomsky, T., & White, J. G. (2024). Hindcasting long-term data unveils the influence of a changing climate on small mammal communities. *Diversity and Distributions*, 30(10), e13901. <https://doi.org/10.1111/ddi.13901>. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 - 183.** Mariana A. Micheli-Campbell, Thomas Baumgartl, David T. Booth, Hamish A. Campbell, Marilyn Connell, Craig E Franklin (2025). Nesting counts of Marry River Turtles. Micheli-Campbell, M.A. et al. (2013). Selectivity and repeated use of nesting sites in a freshwater turtle. *Herpetologica* 69, 383-396. The University of Queensland. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 - 184.** Mark Antos (2025). Vehicle surveys of Plains-Wanderer in Terrick Terrick National Park. Compiled by Mark Antos. Antos, M. (2020). Northern Plains Grassland Fauna Surveys at Terrick Terrick National Park. July 2019-June 2020 Progress Report. Report to Parks Victoria, Melbourne. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.

- 185.** Mary River Catchment Coordinating Committee (2025). Stream Frog monitoring, Mary River Catchment Coordinating Committee. Compiled by Eva Ford. Mary River Catchment Coordinating Committee. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 186.** McFarlane, G., and A. Mueller (2025). Community monitoring of Flatback Turtle nesting activity at Cable Beach. McFarlane, G., and A. Mueller. 2013. Cable Beach Community-based Sea Turtle Monitoring Programme: The First Six Years. Proceedings of the First Western Australian Marine Turtle Symposium 28-29th August 2012. Science Division, Department of Parks and Wildlife, Perth, Western Australia. Living Planet Index. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 187.** McKeown, Adam; & Vanderduys, Eric (2025). Grey-headed flying-fox population data. v2. CSIRO. Data Collection. <https://doi.org/10.25919/vrpe-g510>. The Commonwealth Scientific and Industrial Research Organisation. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 188.** McKeown, Adam; Vanderduys, Eric; & Westcott, David A. (2025). McKeown, Adam; Vanderduys, Eric; & Westcott, David A. (2024): National Flying-fox Management Program data. v2. CSIRO. Data Collection. <https://doi.org/10.25919/322q-q171>. The Commonwealth Scientific and Industrial Research Organisation. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 189.** Melbourne Water (2025). Long-term monitoring of *Litoria raniformis* in the Melbourne Water estate. Compiled by Will Steele. Melbourne Water. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 190.** Mifsud G (2025). Ecology of the Julia Creek Dunnart. Compiled by Greg Mifsud and Patricia Woolley. Mifsud, G. (1999). Ecology of the Julia Creek Dunnart, *Sminthopsis douglasi*. Unpublished master's thesis. La Trobe University, Bundoora. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 191.** Milani Chaloupka, Karen A. Bjorndal, George H. Balazs, Alan B. Bolten, Llewellyn M. Ehrhart, Colin J. Limpus, Hiroyuki Suganuma, Sebastian Tröng and Manami Yamaguchi (2025). Long-term monitoring of Green Turtle nesting in the Great Barrier Reef. Chaloupka, M., et al. (2008). Encouraging outlook for recovery of a once severely exploited megaherbivore. *Global Ecology and Biogeography* 17, 297-304. Living Planet Index. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 192.** Milledge D (2025). Ngunya Jargoan Indigenous Protected Area Northern Long-nosed Potoroo Population Monitoring. Compiled by David Milledge. David Milledge. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species

- Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 193.** Milne, T., Bull, C.M., Hutchinson, M. (2025). Counts of occupied burrows for *Tiliqua adelaidensis* observed between 1993 and 1998. Milne, C. et al (2009). Characteristics of litters and juvenile dispersal in the endangered Australian skink *Tiliqua adelaidensis*. *Journal of Herpetology*, 36, 110-112. Flinders University. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 194.** N Walsh, J Lynch, O Carter O, J Downe, Threatened Species Scientific Committee (2025). Unpublished data on *Spyridium furculentum*, and data from published sources. Compiled by Neville Walsh and Jo Lynch. National Action Plan for Australia's Imperilled Plants (draft) AND Carter O & Downe J (2006). National Recovery Plan for the Forked *Spyridium* *Spyridium* species 1. Department of Sustainability and Environment, Melbourne. Available from: <http://www.environment.gov.au/biodiversity/threatened/recovery-plans/national-recovery-plan-forked-spyridium-spyridium-species-little-desert>. In effect under the EPBC Act from 22-Dec-2006 as *Spyridium* sp. (Little Desert). AND Threatened Species Scientific Committee (2016). Conservation Advice *Spyridium furculentum* forked *spyridium*. Canberra: Department of the Environment and Energy. Available from: <http://www.environment.gov.au/biodiversity/threatened/species/pubs/87544-conservation-advice-16122016.pdf>. In effect under the EPBC Act from 16-Dec-2016. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 195.** Nano C, Nano T, Gibson J, Pavey C (2025). Recovery action implementation for threatened arid acacias. Compiled by Catherine Nano. Nano et al. (2008). Recovery action implementation for threatened arid acacias: distribution, monitoring and Indigenous ecological knowledge of *A. peuce*, *A. undoolyana*, *A. pickardii* and *A. latzii*. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 196.** Newell, D., Bolitho, L., Willacy, R., Hines, H. (2025). Occupancy trends for *Philoria kundagungan* and *P. richmondensis*. Heard, G., Bolitho, L., Newell, D., Hines, H., Willacy, R., Norman, P., Scheele, B. (2023). Drought, fire and rainforest endemics: a case study of two threatened frogs impacted by Australia's 'Black Summer'. *Ecology and Evolution* 13, e10069. Southern Cross University, The State of Queensland and The Australian National University. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 197.** Newell, D, Goldingay, R. Brooks, L. (2025). Mark-recapture estimates of population size over a 7-year period for *Mixophyes fleayi* at two sites. Newell, D, Goldingay, R. Brooks, L. (2013). Population recovery following decline in an endangered stream-breeding frog (*Mixophyes fleayi*) from subtropical Australia. *PLoS One*, 8 e58559. Southern Cross University. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.

198. NPWS (NSW National Parks and Wildlife Service) (2025). Saving our Species monitoring - *Eucalyptus camphora* subsp. *relicta*. Compiled by Adam Fawcett. NSW National Parks and Wildlife Service. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
199. NPWS (NSW National Parks and Wildlife Service) (2025). Saving our Species monitoring - *Leionema westonii*. Compiled by Adam Fawcett. NSW National Parks and Wildlife Service. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
200. NPWS (NSW National Parks and Wildlife Service) (2025). Saving our Species monitoring - *Phebalium glandulosum* subsp. *eglandulosum*. Compiled by Adam Fawcett. NSW National Parks and Wildlife Service. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
201. NPWS (NSW National Parks and Wildlife Service) (2025). Saving our Species monitoring - *Pimelea cremnophila*. Compiled by Adam Fawcett. NSW National Parks and Wildlife Service. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
202. NSW DCCEEW (2025). Monitoring of Manning River Turtles by NSW DCCEEW using trapping. Compiled by Andrew Steed. The State of New South Wales. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
203. NSW Department of Climate Change, Energy, the Environment and Water (2025). Saving Our Species monitoring - *Pomaderris cotoneaster* and *Pomaderris pallida*. Compiled by Rob Armstrong. The State of New South Wales. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
204. NSW Department of Climate Change, Energy, the Environment and Water (2025). Saving our Species Monitoring - *Burramys parvus*. Compiled by Dr Linda Broome. The State of New South Wales. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
205. NSW Department of Climate Change, Energy, the Environment and Water (2025). Saving Our Species monitoring - *Caladenia tessellata*. Compiled by Kylie Coutts-McClelland. The State of New South Wales. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
206. NSW Department of Climate Change, Energy, the Environment and Water (2025). Saving our Species monitoring - *Callitris baileyi*. Compiled by Courtney Etherington, James Mitchell-Williams and John T. Hunter. The State of New South Wales. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery

- Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 207.** NSW Department of Climate Change, Energy, the Environment and Water (2025). Saving Our Species monitoring - *Calochilus pulchellus*. Compiled by Kylie Coutts-McClelland. The State of New South Wales. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 - 208.** NSW Department of Climate Change, Energy, the Environment and Water (2025). Saving our Species monitoring - *Diuris aequalis*. Compiled by Laura Schweickle. The State of New South Wales. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 - 209.** NSW Department of Climate Change, Energy, the Environment and Water (2025). Saving Our Species monitoring - *Diuris ochroma*. Compiled by Keith McDougall and Rob Armstrong. The State of New South Wales. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 - 210.** NSW Department of Climate Change, Energy, the Environment and Water (2025). Saving Our Species monitoring - Mainland Ground Parrot (NSW). Compiled by Damon Oliver. The State of New South Wales. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 - 211.** NSW Department of Climate Change, Energy, the Environment and Water (2025). Saving Our Species monitoring - Mainland Ground Parrot (NSW). Compiled by David Bain. The State of New South Wales. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 - 212.** NSW Department of Climate Change, Energy, the Environment and Water (2025). Saving Our Species monitoring - *Pomaderris delicata* (dataset 1 of 2). Compiled by Keith McDougall and Rob Armstrong. The State of New South Wales. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 - 213.** NSW Department of Climate Change, Energy, the Environment and Water (2025). Saving Our Species monitoring - *Prasophyllum petilum*. Compiled by Rob Armstrong. The State of New South Wales. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 - 214.** NSW Department of Climate Change, Energy, the Environment and Water (2025). Saving our Species monitoring - *Pseudomys fumeus* (dataset 2 of 3). Compiled by Linda Broome. The State of New South Wales. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 - 215.** NSW Department of Climate Change, Energy, the Environment and Water (2025). Saving our Species monitoring - *Pseudomys fumeus* (dataset 3 of 3). Compiled by Linda Broome.

- The State of New South Wales. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 216.** NSW Department of Climate Change, Energy, the Environment and Water (2025). Saving our Species monitoring - Rosewood Mistletoe, Coastal Fontainea and Willi Willi Zieria SoS species monitoring. Compiled by Dianne Brown. The State of New South Wales. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 217.** NSW Department of Climate Change, Energy, the Environment and Water (2025). Saving Our Species monitoring - Superb Parrot (NSW). Compiled by Damon Oliver. The State of New South Wales. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 218.** NSW Government (2025). NPWS monitoring - Yellow-footed Rock-wallaby. Data collected during aerial survey by NPWS staff and traditional owners. The State of New South Wales. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 219.** NSW Government (2025). Saving Our Species monitoring - Zieria tuberculata monitoring. Compiled by David McCreery. The State of New South Wales. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 220.** NSW Government (2025). Saving Our Species monitoring - Acacia gordonii monitoring. Compiled by Ahamad Sherieff. The State of New South Wales. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 221.** NSW Government (2025). Saving Our Species monitoring - Acacia pubifolia monitoring. Compiled by Paul Sheringham. The State of New South Wales. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 222.** NSW Government (2025). Saving Our Species monitoring - Astrotricha roddii, Isoglossa eranthemoides. Compiled by Jill Smith. The State of New South Wales. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 223.** NSW Government (2025). Saving our Species monitoring - Australian Gould's Petrel Recovery Plan. Compiled by Nicholas Carlile. The State of New South Wales. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.

- 224.** NSW Government (2025). Saving Our Species monitoring - *Baeckea kandos* monitoring. Compiled by David Coote. The State of New South Wales. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 225.** NSW Government (2025). Saving our Species monitoring - *Banksia vincentia*. Data compiled by David Bain. The State of New South Wales. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 226.** NSW Government (2025). Saving Our Species monitoring - *Bossiaea fragrans* monitoring. Compiled by Jessica Peterie. The State of New South Wales. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 227.** NSW Government (2025). Saving our Species monitoring - Curly-bark Wattle (*Acacia curranii*) annual monitoring. Compiled by Darren Shelly. The State of New South Wales. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 228.** NSW Government (2025). Saving our Species monitoring - *Dasyurus maculatus*. Compiled by James Dawson. The State of New South Wales. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 229.** NSW Government (2025). Saving our Species monitoring - *Eriocaulon carsonii* monitoring on artesian springs at Peery Lake. Compiled by Darren Shelly. The State of New South Wales. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 230.** NSW Government (2025). Saving Our Species monitoring - *Eucalyptus recurva*. Compiled by John Briggs. The State of New South Wales. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 231.** NSW Government (2025). Saving our Species monitoring - *Genoplesium baueri*. Data compiled by David Bain and James Dawson. The State of New South Wales. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 232.** NSW Government (2025). Saving Our Species monitoring - Gould's Petrel. Compiled by Nicholas Carlile. The State of New South Wales. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 233.** NSW Government (2025). Saving our Species monitoring - *Grevillea kennedyana* monitoring within exclosures in Sturt National Park. Compiled by Darren Shelly. The State of New South Wales. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.

- 234.** NSW Government (2025). Saving Our Species monitoring - *Grevillea wilkinsonii*, *Prasophyllum affine*, *Zieria Adenophora*, *Zieria buxijugum*, *Zieria formosa*. Compiled by John Briggs. The State of New South Wales. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 235.** NSW Government (2025). Saving Our Species monitoring - Kermadec Petrel. Compiled by Nicholas Carlile. The State of New South Wales. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 236.** NSW Government (2025). Saving Our Species monitoring - Koala Monitoring in SENS Coastal Forests: 2007-19. Compiled by Rod Pietsch. The State of New South Wales. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 237.** NSW Government (2025). Saving our Species monitoring - Long-nosed Potoroo. Compiled by Andrew Claridge. The State of New South Wales. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 238.** NSW Government (2025). Saving Our Species monitoring - Lord Howe Pied Currawong. Compiled by Nicholas Carlile. The State of New South Wales. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 239.** NSW Government (2025). Saving our Species monitoring - Mainland Ground Parrot (NSW). Compiled by Mick Andren. The State of New South Wales. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 240.** NSW Government (2025). Saving our Species monitoring - Malleefowl. Compiled by the Department of Planning Industry and Environment. The State of New South Wales. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 241.** NSW Government (2025). Saving our Species monitoring - *Micromyrtus blakelyi* annual population monitoring. Compiled by Vera O'Donovan. The State of New South Wales. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 242.** NSW Government (2025). Saving Our Species monitoring - *Neoastelia spectabilis* monitoring. Compiled by Paul Sheringham. The State of New South Wales. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 243.** NSW Government (2025). Saving our Species monitoring - Northern population of the Eastern Bristlebird (NSW). Compiled by Kelly Roche. The State of New South Wales. Aggregated for the Australian Threatened Species Index, an output of the NESP

- Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
244. NSW Government (2025). Saving Our Species monitoring - Pale Yellow Double-tail (*Diuris flavescens*) monitoring. Compiled by Paul Hillier. The State of New South Wales. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 245. NSW Government (2025). Saving Our Species monitoring - *Persoonia marginata* monitoring. Compiled by David Coote. The State of New South Wales. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 246. NSW Government (2025). Saving Our Species monitoring - *Prostanthera palustris* monitoring. Compiled by Paul Sheringham. The State of New South Wales. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 247. NSW Government (2025). Saving Our Species monitoring - *Pterostylis vernalis*. Data compiled by David Bain. The State of New South Wales. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 248. NSW Government (2025). Saving Our Species monitoring - Somersby Mintbush (*Prostanthera junonis*) Flora Survey and Monitoring. Compiled by Paul Hillier. The State of New South Wales. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 249. NSW Government (2025). Saving our Species monitoring - Southern Brown Bandicoot. Compiled by Andrew Claridge. The State of New South Wales. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 250. NSW Government (2025). Saving our Species monitoring - *Xerothamnella parvifolia* census monitoring on Mt. Poole. Compiled by Darren Shelly. The State of New South Wales. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 251. NSW Government (2025). Southern Eastern Bristlebird (NSW). Compiled by David Bain. The State of New South Wales. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 252. NSW Government / Forestry Corporation NSW (2025). Forestry Corporation Biodiversity Monitoring (Western) - Little Pied Bat. Compiled by Brad Law. The State of New South Wales & FCNSW. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.

- 253.** NSW National Parks and Wildlife Service (2025). Saving our Species monitoring - Diuris byronensis. Compiled by Kaitlyn York. The State of New South Wales. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 254.** NSW NPWS (2025). Saving our Species monitoring - Anemone buttercup and Phantom wattle monitoring. Compiled by Bec Byrne. NSW National Parks and Wildlife Service. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 255.** NSW NPWS (2025). Saving our Species monitoring - Broad-toothed rat monitoring. Compiled by Bec Byrne and Catriona Campbell. NSW National Parks and Wildlife Service. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 256.** NSW NPWS (2025). Saving Our Species monitoring - Southern swamp orchid monitoring around Clarence NSW. Compiled by Caroline Blackmore, Jeff Thomas, Damien Lett, Gina Hart, Wayne Stevens and Erin Brettschneider. NSW National Parks and Wildlife Service. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 257.** NT Government (2025). Gouldian Finch Recovery Team (NT). Compiled by Brydie Hill. Northern Territory Government. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 258.** NT Government (2025). NT Government Top End Ecological Monitoring Program (Brush-tailed Rabbit-rat). Compiled by Brydie Hill. Northern Territory Government. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 259.** NT Government (2025). NT Government Top End Ecological Monitoring Program. Compiled by Brydie Hill. Northern Territory Government. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 260.** Nugent D (2025). Plains-wanderer (*Pedionomus torquatus*) nocturnal monitoring on Victorias Northern Plains. Compiled by Daniel Nugent. Nugent, D. (2020). Plains-wanderer (*Pedionomus torquatus*) nocturnal monitoring on Victoria's Northern Plains in 2020. Report prepared for the Department of Environment, Land, Water and Planning by Open Plains Ecological Services. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 261.** Nugent, D (2025). Plains-wanderer (*Pedionomus torquatus*) nocturnal monitoring from 2021. Compiled by Daniel Nugent. Open Plains Ecology. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.

262. O'Meara, J., Darcovich, K., Jack, A. (2025). Annual VES surveys for *Litoria aurea* at the Sydney Olympic Park. Sydney Olympic Park Authority. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
263. Osborne, W., Hunter, D., Hollis, G. (2025). Counts of calling male *Pseudophryne corroboree* and *P. pengilleyi* subject to monitoring during the period 1986-1998. Osborne, W., Hunter, D., Hollis, G. (1999). Population declines and range contraction in Australian alpine frogs. pp. 145-157 in *Declines and Disappearances of Australian Frogs*. Ed. A. Campbell. Environment Australia, Canberra. Th University of Canberra and The State of New South Wales. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
264. O'Shea, M.B. (2025). Population monitoring of *Delma impar* using pitfall trapping. O'Shea, M.B. (2005). *Methods for Assessment and Techniques for Management of Striped Legless Lizard Delma impar* populations in South-eastern Australia. PhD thesis, Victoria University. Victoria University. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
265. Parks Victoria (2025). Monitoring of *Delma impar* in grassland reserves. Data compiled by James Neil. The State of Victoria. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
266. Pemberton, D., Wiltshire, A. (2025). Population estimates of Pedra Branca Skink, 1986-2000. Threatened Species Unit (2001). *Pedra Branca Skink Recovery Plan*. Department of Primary Industries, Water and Environment, Hobart. The State of Tasmania. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
267. Pennay M, Leary T (2025). Saving Our Species monitoring - *Chalinolobus dwyeri* maternity roost monitoring. Compiled by Michael Pennay. The State of New South Wales. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
268. Peters A (2025). Western Purple-crowned Fairy-wren dataset. Compiled by Anne Peters. Monash University. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
269. Phillott, A., Grogan, F., Cashins, S., McDonald, K., Berger, L., Skerratt, L. (2025). Detections of *Litoria rheocola* during a mark-recapture study in the Wet Tropics. Phillott, A., Grogan, F., Cashins, S., McDonald, K., Berger, L., Skerratt, L. (2013) Chytridiomycosis and seasonal mortality of tropical stream-associated frogs 15 years after introduction of *Batrachochytrium dendrobatidis*. *Conservation Biology* 27, 1058-1068. James Cook University. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.

- 270.** Pickett, E., Stockwell, M., Bower, D., Pollard, C., Garnham, J., Clulow, J. & Mahony, M. (2025). Population estimates of *Litoria aurea* over six years at the Sydney Olympic Park. Pickett, E., Stockwell, M., Bower, D., Pollard, C., Garnham, J., Clulow, J. & Mahony, M. (2013). Six-year demographic study reveals threat of stochastic extinction for remnant populations of a threatened amphibian. *Austral Ecology* 39, 244-253. The University of Newcastle. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 271.** Platypus Watch Network - Wildlife Preservation Society of Queensland (2025). eDNA Platypus Monitoring. Compiled by Tamielle Brunt. Platypus Watch Network - Wildlife Preservation Society of Queensland. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 272.** Preece HJ (2025). South East Queensland Koala Surveys. Department of Environment and Science (DES). Compiled by Harriet Preece. Data sourced from Koala Research Unit database, DES (1996-2013); Koala Survey Team, DES (2018); Hasagewa M (1995). Habitat utilisation by koalas (*Phascolarctos cinereus*) at Point Halloran, Queensland. MSc Thesis, The University of Queensland; White NA, Kunst ND (1988). A report on ecological research on population and habitat features of the koala in key sites in South Eastern Queensland, Internal report to Qld Parks and Wildlife Service. The State of Queensland. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 273.** Preen AR, Marsh H, Lawler IR, Prince RIT, Shepherd R, Gales NJ, McCauley RD, Lanyon JM, Holley DK, Hodgson AJ, Kelly N, Peel D, Bayliss P, Raudino H, Hutton M, Murray K, Waples K, Strydom S, Lanyon JM (2025). Dugong aerial surveys in WA from multiple published sources. Compiled by Holly Raudino. Preen et al. (1997). Distribution and Abundance of Dugongs, Turtles, Dolphins and other Megafauna in Shark Bay, Ningaloo Reef and Exmouth Gulf, Western Australia. *Wildlife Research*, 24, 185-208 AND Gales et al (2004). Change in abundance of dugongs in Shark Bay, Ningaloo and Exmouth Gulf, Western Australia: evidence for large scale migration. *Wildlife Research*, 31, 283-290 AND Holley et al (2006). Summer survey of dugong distribution and abundance in Shark Bay reveals additional key habitat area. *Wildlife Research*, 33, 243-250 AND Hodgson et al. (2008). Dugong population trends across two decades in Shark Bay, Ningaloo Reef and Exmouth Gulf. WA Department of Environment and Conservation AND Hodgson et al. (2013). Unmanned Aerial Vehicles (UAVs) for Surveying Marine Fauna: A Dugong Case Study. *PLoS ONE*, 8, e79556 AND Bayliss et al (2019). Modelling the spatial relationship between dugong (*Dugong dugon*) and their seagrass habitat in Shark Bay Marine Park before and after the marine heatwave of 2010/11. CSIRO and Department of Biodiversity, Conservation and Attractions AND Hodgson, AJ (2007). The distribution, abundance and conservation of dugongs and other marine megafauna in Shark Bay Marine Park, Ningaloo Reef Marine Park and Exmouth Gulf. WA Department of Environment and Conservation and James Cook University AND Bayliss et al (2018). Dugong (*Dugong dugon*) population and habitat survey of Shark Bay Marine Park and Ningaloo Reef Marine Park, and Exmouth Gulf. CSIRO and WA Department of Biodiversity, Conservation and Attractions. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery

- Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 274.** Priddel D, Carlile N, Fullagar P, Hutton I, O'Neill L (2025). Saving our Species monitoring - Flesh-footed shearwater (Lord Howe Island). Compiled by Nicholas Carlile. Priddel D, Carlile N, Fullagar P, Hutton I, O'Neill L (2006). Decline in the distribution and abundance of flesh-footed shearwaters (*Puffinus carneipes*) on Lord Howe Island, Australia. *Biological Conservation* 128: 412-424. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 275.** Pyke, G., White, A. (2025). Monitoring of *Litoria aurea* at three sites at Homebush Bay, Sydney. Pyke, G., White, A. (1999). Dynamics of co-occurring frog species in three ponds utilized by the endangered Green and Golden Bell Frog *Litoria aurea*. *Australian Zoologist* 31, 230-239. Australian Museum. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 276.** Qld Government (2025). Diamantina Pest Arrest Project (Kowari) - Department of Environment and Science (DES). Compiled by John Augusteyn. The State of Queensland. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 277.** Qld Government (2025). Idalia Pest Arrest project (Bridled Nailtail Wallaby) - Department of Environment and Science (DES). Compiled by John Augusteyn. The State of Queensland. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 278.** QLD Government (2025). NHW monitoring on protected area estate in QLD. Compiled by Alan Horsup and Jenny Molyneux. Department of Environment, Science and Innovation. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 279.** Qld Government (2025). Northern Rufous Scrub-bird (QLD). Compiled by David Stewart. The State of Queensland. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 280.** Qld Government (2025). Threatened Species Operations - Department of Environment, Tourism, Science and Innovation (DETSI). Compiled by Ian Gynther, data sourced from WildNet. The State of Queensland. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 281.** Qld Government (2025). Threatened Species Operations Monitoring (Large-eared Pied Bat) - Department of Environment and Science (DES). Compiled by Ian Gynther, data sourced from WildNet. The State of Queensland. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.

- 282.** Qld Government (2025). Water mouse monitoring - Department of Environment and Science (DES). Compiled by Tina Ball. The State of Queensland. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 283.** QPWS (2025). Monitoring of *Litoria kroombitensis*, Kroombit Tops, Queensland Parks and Wildlife Service. Compiled by Harry Hines. The State of Queensland. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 284.** Queensland Parks and Wildlife Service (2025). *Phaius australis* monitoring data. Compiled by Lindie Pasma. The State of Queensland. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 285.** QWSG (2025). Queensland Wader Studies Group shorebird monitoring. Queensland Wader Studies Group. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 286.** Reiter NH (2025). Unpublished data on *Sphaerolobium acanthos*. Compiled by Noushka Reiter. National Action Plan for Australia's Imperilled Plants (draft) - unpublished data. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 287.** Reiter NH, Walsh NG, Lawrie AC (2025). Causes of infertility in the endangered Australian endemic plant *Borya mirabilis*. Compiled by Noushka Reiter. Reiter et al. (2015). Causes of infertility in the endangered Australian endemic plant *Borya mirabilis* (Boryaceae). Australian Journal of Botany 63, 554-565. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 288.** Retallick, R., McCallum, H., Speare, R. (2025). Mark-recapture surveys for *Taudactylus eungellensis* at Eungella, QLD. James Cook University. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 289.** Richard N. C. Milner, Danswell Starrs, William S. Osborne (2025). Testing the use of artificial shelters for supplementing habitat for Pink-tailed Worm Lizards. Milner et al. (2023). Worm-lizards, ants, and bricks: A low-impact monitoring method for the threatened Pink-tailed Worm-lizard *Aprasia parapulchella*. Austral Ecology 49, e13490. The University of Canberra. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 290.** Richards, S., Alford, R., McDonald, K. (2025). Monitoring of six frog species endemic to the tropical rainforests of North Queensland before and after the arrival of chytrid fungus. Richards, S., Alford, R., McDonald, K. (1993). Declines in populations of Australia's endemic tropical rainforest frogs. Pacific Conservation Biology 1, 66-77. James Cook University. Aggregated for the Australian Threatened Species Index, an output of the NESP

- Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 291.** Roberts, D., Conroy, S., Williams, K. (2025). Counts of calling males for three populations of *Anstisia alba* and two populations of *Anstisia vitellina* for the period 1992-1998. Roberts, D., Conroy, S., Williams, K. (1999). Conservation status of frogs in Western Australia. In *Declines and Disappearances of Australian Frogs*. pp. 177-184. Ed. A. Campbell. Environment Australia, Canberra. The University of Western Australia. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 292.** Rowland, J. (2025). Spotted-tailed quoll monitoring in the Wet Tropics. The University of Sunshine Coast. Compiled by Jesse Rowland. Rowland, J., Hoskin, C. J. and Burnett, S. (2022). Camera-trapping density estimates suggest critically low population sizes for the Wet Tropics subspecies of the spotted-tailed quoll (*Dasyurus maculatus gracilis*). *Austral Ecology*. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 293.** Rule K, Molyneux WM (2025). Two new mallee Eucalypts (Myrtaceae) from Gippsland, Victoria. Compiled by Jennifer Silcock. Rule, K. & Molyneux, W.M. (2011). Two new mallee Eucalypts (Myrtaceae) from Gippsland, Victoria. *Muelleria* 29, 16-26. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 294.** SA Government (2025). *Acanthocladium dockeri* natural sites counting in South Australia. Compiled by Doug Bickerton. The State of South Australia. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 295.** SA Government (2025). Biological Databases of South Australia (BDBSA) data extract 2020 - birds. The State of South Australia. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 296-297.** SA Government (2025). Biological Databases of South Australia (BDBSA) data extract. The State of South Australia. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 298.** SA Government (2025). Kangaroo Island Glossy Black-Cockatoo (1996-2013). Compiled by Karleah Berris. The State of South Australia. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 299.** SA Government (2025). Kowari monitoring - South Australian Arid Lands Natural Resources Management Board. Compiled by Rob Brandle and Catherine Lynch. SA Department of Environment and Water. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.

- 300.** SA Government (2025). Northern Lofty Block Threatened Orchid Recovery Team - *Caladenia argocalla*, *C. gladiolata*, *C. intuta*, *C. macroclavia*, *C. woolcockiorum*, *Pterostylis despectans*, *P. lepida*. Compiled by Doug Bickerton. The State of South Australia. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 301.** SA Government (2025). Project 377: THREATENED ORCHID MONITORING (SE) *Prasophyllum frenchii*. Compiled by Doug Bickerton. The State of South Australia. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 302.** SA Government (2025). Project 832: IMPACT OF FIRE ON ORCHID POLLINATION-MLR *Caladenia behrii*, *Caladenia rigida*. Compiled by Doug Bickerton. The State of South Australia. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 303.** SA Government (2025). SA Murray Darling Basin Threatened Flora Recovery Team dataset, compiled by Kylie Moritz. The State of South Australia. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 304.** SA Government (2025). Subantarctic Fur Seal Monitoring (South Australian Research and Development Institute (SARDI)). Compiled by Simon Goldsworthy. The State of South Australia. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 305.** SA Government (DEW and HFLB) (2025). Propagation translocation surveys and population assessments. Threatened flora monitoring and conservation conducted by SA Botanic Gardens and State Herbarium supported by the Hills and Fleurieu Landscape Board and the SA Department of Environment and Water. Compiled by Jerry Smith. The State of South Australia (Hills and Fleurieu Landscape Board and the SA Department of Environment and Water). Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 306.** Salgado Kent C, Burton C, Recalde-Salas A, Marley S, Kniest E (2025). Land based surveys - Theodolite tracking (Pygmy Blue Whale). Compiled by Angela Recalde Salas. Salgado Kent C, Burton C, Recalde-Salas A, Marley S, Kniest E (2014). Defining the significance of resting and migratory areas in a key habitat in Australia's southwest for baleen whales. Report presented to The International Fund of Animal Welfare (IFAW). Project CMST 1199. Curtin University. Perth. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 307.** Save the Gouldian Fund (2025). Save the Gouldian Fund. Compiled by Gary Fitt. Save the Gouldian Fund. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.

- 308.** Schmidt, K., Richards, S., Peason, R., Alford, R., Puschendorf, R. (2025). Tadpole monitoring in select streams in the Wet Tropics. Schmidt, K., Richards, S., Peason, R., Alford, R., Puschendorf, R. (2019). Seasonal, annual and decadal change in tadpole populations in tropical Australian streams. *Amphibia-Reptilia* 40, 447-459. James Cook University. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 309.** Schulz M, Robinson S, Gales R (2025). Grey Petrel Macquarie Island (2000-2003). Compiled by Martin Schulz. Schulz M. Robinson S. Gales R. 2005. Breeding of the Grey Petrel (*Procellaria cinerea*) on Macquarie Island: population size and nesting habitat. *Emu* 105: 323-329. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 310.** Scroggie, M.P., Peterson, G.N.L., Rohr, D.H., Nicholson, E., Heard, G.W. (2025). Nine year monitoring of tile grids for vertebrates across western Victoria. Scroggie, M. et al. (2019). Disturbance has benefits as well as costs for fragmented populations of a cryptic grassland reptile. *Landscape Ecology* 34, 1949-1965. The State of Victoria. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 311.** Senior K, Kelly L, Maclagan S, Ritchie E, Lo Cascio A, Di Stefano J, Rees M, Hradsky B, Banikos Z, Rendall A and the Conservation Ecology Centre. (2025). Victoria mammal data extracted from multiple data sources: 1. Katharine Senior and Luke Kelly. Compiled from data collected through the University of Melbourne and La Trobe University: Spatial Solutions Fire and Biodiversity Project, La Trobe University: Mallee Hawkeye Project, and Deakin University and La Trobe University: Mallee Fire and Biodiversity Project. 2. Sarah Maclagan & Euan Ritchie. Deakin University (2023). 3. Amanda Lo Cascio. The University of Melbourne (2022). 4. Julian Di Stefano and the Fire ecology and Biodiversity Lab, The University of Melbourne (2022). 5. Matthew Rees and Bronwyn Hradsky, The University of Melbourne (2022). 6. Zoi Banikos, Matthew Rees and Bronwyn Hradsky, The University of Melbourne (2022). 7. Conservation Ecology Centre, Cape Otway, Victoria (2022). 8. Bronwyn Hradsky, The University of Melbourne (2022). 9. Anthony R Rendall, School of Life and Environmental Sciences, Deakin University (2023). Compiled by Emily McColl-Gausden, The University of Melbourne. The University of Melbourne, La Trobe University, Deakin University and the Conservation Ecology Centre, Cape Otway, Victoria. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 312.** Shapcott, A. (2025). *Graptophyllum reticulatum* monitoring data compiled by Alison Shapcott, based on research article: Richer, A., Shimizu, Y., & Shapcott, A. (2024). Demographic modeling of the endangered subtropical rainforest shrub *Graptophyllum reticulatum*. *Biotropica*, 56, e13335. University of the Sunshine Coast. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.

- 313.** Shapcott, A. (2025). *Macadamia janseni* monitoring data compiled by Alison Shapcott, based on research article: Hayward, G., Nock, C., Shimizu, Y. and Shapcott, A. (2021). A comprehensive approach to assessing the future persistence of the endangered rainforest tree, *Macadamia janseni* (Proteaceae) and the impact of fire. *Australian Journal of Botany* 69, 285-300. University of the Sunshine Coast. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 314.** Shapcott, A. (2025). *Triunia robusta* monitoring data compiled by Alison Shapcott, based on research article: Shimizu-Kimura, Y., Burnett, S. and Shapcott, A. (2017). Demographic, dispersal, predation and genetic data reveal the potential vulnerability of an endangered rainforest shrub, *Triunia robusta* (Proteaceae). *Australian Journal of Botany* 65, 270-282. University of the Sunshine Coast. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 315.** Silcock, J. (2025). *Acacia ammophila* census, unpublished data. Compiled by Jen Silcock. The University of Queensland. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 316.** Silcock, J. (2025). *Leuzea australis* census, unpublished data. Compiled by Jen Silcock. The University of Queensland. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 317.** Silcock, J. (2025). *Melaleuca kunzeoides* census, unpublished data. Compiled by Jen Silcock. The University of Queensland. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 318.** Silcock, J. (2025). *Picris evae* census, unpublished data. Compiled by Jen Silcock. The University of Queensland. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 319.** Sinclair S. (2025). Melbourne Strategic Assessment monitoring. Compiled by Steve Sinclair. The State of Victoria. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 320.** Sinn, D. and Philips, A. (2025). Short term monitoring of *Litoria burrowsae* in Tasmania. Sinn, D. and Philips, A. (2014). Tasmanian Frog and chytrid monitoring 2014: sound recording, capture-mark-recapture and chytrid status. NRM South and Department of Primary Industries, Parks, Water & Environment, Hobart. The State of Tasmania. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 321.** Smith K (2025). Data on Eastern Regent Parrot breeding observations in South Australia. Compiled by Kevin Smith. Kevin Smith. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.

- 322.** Southgate R, Moseby K, Peddler R (2025). Dusky Hopping Mouse monitoring. Compiled by Rob Brandle. Southgate, R. & Moseby, M. (2011). An expansion of Dusky Hopping Mouse *Notomys fuscus* distribution inside the Dog Fence in northern South Australia. South Australian Arid Lands Natural Resources Management Board, Port Augusta AND Southgate, R., Moseby, M. & Peddler, R. (2012). A reassessment of Dusky Hopping Mouse *Notomys fuscus* distribution in proximity to the Dog Fence in northern South Australia. South Australian Arid Lands Natural Resources Management Board, Port Augusta. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 323.** Stuart A, Newman M (2025). Southern rufous scrub-bird (Gloucester Tops). Compiled by Alan Stuart. Stuart A (2020) Rufous Scrub-bird population trend in the Gloucester Tops: results from 2010-2019 monitoring program. The Whistler 14: 28-34. Plus unpublished monitoring data for 2020. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 324.** Sullivan BJ, Baxter GS, Lisle AT, Pahl L, Norris WM, Seabrook L, McAlpine C, Baxter G, Rhodes J, Bradley A, Lunney D (2025). Qld Mulga Lands Koala Surveys. Compiled by Harriet Preece. Sullivan BJ, Baxter GS, Lisle AT, Pahl L, Norris WM (2004). Low-density koala (*Phascolarctos cinereus*) populations in the mulgalands of south-west Queensland. IV. Abundance and conservation status. Wildlife Research 31, 19-29 AND Seabrook L, McAlpine C, Baxter G, Rhodes J, Bradley A, Lunney D (2011). Drought-driven change in wildlife distribution and numbers: a case study of koalas in south west Queensland. Wildlife Research 38: 509-524. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 325.** Surman CA, Burbidge AA, Fitzhardinge J (2025). Houtman Abrolhos Lesser Noddy monitoring. Compiled by Chris Surman. Surman CA, Burbidge AA, Fitzhardinge J (2016). Long-term population trends in the vulnerable Lesser Noddy *Anous tenuirostris melanops* at the Houtman Abrolhos, Western Australia. Corella 40(3): 69-75. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 326.** Tas Government (2025). Annual population estimates of Southern Elephant Seals at Macquarie Island from censuses made annually on October 15th - Department of Primary Industries, Parks, Water and Environment. Extracted from Australian Antarctic Data Centre - CAASM Metadata. Australian Antarctic Data Centre Elephant Seal Census. Compiled by Sam Thalmann and Sheryl Hamilton. Department of Natural Resources and Environment Tasmania. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 327.** Tas Government (2025). Shy Albatross monitoring. Compiled by Kris Carlyon and Sheryl Hamilton. Department of Natural Resources and Environment Tasmania. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.

- 328.** Taylor T (2025). Unpublished data on *Gossia gonoclada*. Compiled by Tamara Taylor. National Action Plan for Australia's Imperilled Plants (draft). Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 329.** The State of New South Wales (2025). *Acacia dangarensis* monitoring - Saving our Species. NSW Department of Climate Change, Energy, the Environment and Water. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 330.** The State of New South Wales (2025). *Elaeocarpus sedentarius* monitoring - Saving our Species. NSW Department of Climate Change, Energy, the Environment and Water. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 331.** The State of New South Wales (2025). *Epacris sparsa* monitoring - Saving our Species. NSW Department of Climate Change, Energy, the Environment and Water. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 332.** The State of New South Wales (2025). *Eucalyptus imlayensis* monitoring - Saving our Species. NSW Department of Climate Change, Energy, the Environment and Water. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 333.** The State of New South Wales (2025). *Grevillea rivularis* monitoring - Saving our Species. NSW Department of Climate Change, Energy, the Environment and Water. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 334.** The State of New South Wales (2025). *Hoplocephalus bungaroides* monitoring - Saving our Species. NSW Department of Climate Change, Energy, the Environment and Water. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 335.** The State of New South Wales (2025). *Liopholis guthega* monitoring - Saving our Species. NSW Department of Climate Change, Energy, the Environment and Water. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 336.** The State of New South Wales (2025). *Litoria aurea* monitoring - Saving our Species. NSW Department of Climate Change, Energy, the Environment and Water. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.

- 337.** The State of New South Wales (2025). Long-term monitoring of the Canberra Earless Dragon. Compiled from: DCCEEW (2022). Consultation on Species Listing Eligibility and Conservation Actions. *Tympanocryptis lineata* (Canberra grassland earless dragon). DCCEEW, Canberra. The State of New South Wales. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 338.** The State of New South Wales (2025). *Owenia cepiodora* monitoring - Saving our Species. NSW Department of Climate Change, Energy, the Environment and Water. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 339.** The State of New South Wales (2025). *Persoonia glaucescens* monitoring - Saving our Species. NSW Department of Climate Change, Energy, the Environment and Water. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 340.** The State of New South Wales (2025). *Pimelea spicata* monitoring - Saving our Species. NSW Department of Climate Change, Energy, the Environment and Water. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 341.** The State of New South Wales (2025). *Plinthanthesis rodwayi* monitoring - Saving our Species. NSW Department of Climate Change, Energy, the Environment and Water. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 342.** The State of New South Wales (2025). *Prostanthera askania* monitoring - Saving our Species. NSW Department of Climate Change, Energy, the Environment and Water. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 343.** The State of New South Wales (2025). *Prostanthera densa* monitoring - Saving our Species. NSW Department of Climate Change, Energy, the Environment and Water. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 344.** The State of New South Wales (2025). *Pterostylis gibbosa* monitoring - Saving our Species. NSW Department of Climate Change, Energy, the Environment and Water. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 345.** The State of New South Wales (2025). Saving Our Species monitoring - *Asterolasia beckersii*. Compiled by Lachlan Thurtell. NSW Department of Climate Change, Energy, the Environment and Water. Aggregated for the Australian Threatened Species Index, an

- output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 346.** The State of New South Wales (2025). Saving our Species monitoring - Bulloo Grey Grasswren. Compiled by Joanna Haddock. NSW Department of Climate Change, Energy, the Environment and Water. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 347.** The State of New South Wales (2025). Saving Our Species monitoring - *Grevillea obtusiflora*. Compiled by David Coote and Lachlan Thurtell. NSW Department of Climate Change, Energy, the Environment and Water. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 348.** The State of New South Wales (2025). Saving our Species monitoring - *Lasiopetalum joyceae* and *Asterolasia elegans*. Compiled by Simon Lee. NSW Department of Climate Change, Energy, the Environment and Water. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 349.** The State of New South Wales (2025). Saving Our Species monitoring - Long-nosed Potoroo. Compiled by Melinda Norton. NSW National Parks and Wildlife Service. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 350.** The State of New South Wales (2025). Saving Our Species monitoring - *Persoonia hindii* monitoring. Compiled by Jessica Peterie and Lachlan Thurtell. NSW Department of Climate Change, Energy, the Environment and Water. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 351.** The State of New South Wales (2025). Saving our Species Monitoring - Plains-Wanderer. Compiled by David Parker. NSW Department of Climate Change, Energy, the Environment and Water. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 352.** The State of New South Wales (2025). Saving our Species monitoring - *Pseudomys fumeus* (dataset 1 of 3). Compiled by Linda Broome. NSW Department of Climate Change, Energy, the Environment and Water. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 353.** The State of New South Wales (2025). Saving Our Species monitoring - *Pultenaea* sp. Genowlan Point. Compiled by David Coote. NSW Department of Climate Change, Energy, the Environment and Water. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 354.** The State of New South Wales (2025). Saving Our Species monitoring - Thick-leaf Star-hair (*Astrotricha crassifolia*) monitoring. Compiled by Paul Hillier. NSW Department of Climate Change, Energy, the Environment and Water. Aggregated for the Australian Threatened

Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.

- 355.** The State of New South Wales (2025). Saving our Species monitoring - *Wollemia nobilis*. Compiled by Tony Auld and Berin Mackenzie. NSW Department of Climate Change, Energy, the Environment and Water. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 356.** The State of New South Wales (2025). Saving our Species monitoring - *Zieria obcordata*. Compiled by Joanna Haddock and Darren Shelly. NSW Department of Climate Change, Energy, the Environment and Water. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 357.** The State of New South Wales (2025). *Uromyrtus australis* monitoring - Saving our Species. NSW Department of Climate Change, Energy, the Environment and Water. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 358.** The State of New South Wales (2025). *Zieria baeuerlenii* monitoring - Saving our Species. NSW Department of Climate Change, Energy, the Environment and Water. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 359.** The State of New South Wales (2025). *Zieria citriodora* monitoring - Saving our Species. NSW Department of Climate Change, Energy, the Environment and Water. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 360.** The State of New South Wales (2025). *Zieria odorifera* subsp. *warrabahensis* monitoring - Saving our Species. NSW Department of Climate Change, Energy, the Environment and Water. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 361.** The State of Queensland (2025). Bilby monitoring program - Department of Environment, Science and Innovation. Compiled by John Augusteyn. Qld Department of Environment, Science and Innovation. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 362.** The State of Queensland (2025). Kowari monitoring - Department of Environment, Science and Innovation. Compiled by John Augusteyn. Qld Department of Environment, Science and Innovation. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 363.** The State of South Australia (2025). Kangaroo Island Glossy Black-Cockatoo (2014-2025). Compiled by Karleah Berris. Kangaroo Island Landscape Board. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery

- Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 364.** The State of South Australia (2025). Southern Brown Bandicoot, Kangaroo Island Dunnart and Kangaroo Island Echidna monitoring. Compiled by Karleah Berris and Hannah Byrne-Willey. Kangaroo Island Landscape Board. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 365.** The State of South Australia and The State of Western Australia (2025). Australian Sea-lion monitoring. Compiled by Simon Goldsworthy and Holly Raudino. South Australian Research and Development Institute (SARDI), SA Department for Environment and Water (DEW) and WA Department of Biodiversity, Conservation and Attractions (DBCA). Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 366.** The State of Victoria (2025). Victorian Biodiversity Atlas data extract 2023 - *Litoria aurea*. Compiled by Emily McColl-Gausden, The University of Melbourne. DEECA. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 367.** The State of Western Australia (2025). Australian Humpback Dolphin monitoring, WA. Compiled by Holly Raudino. Department of Biodiversity, Conservation and Attractions. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 368.** The State of Western Australia (2025). Australian Snubfin Dolphin monitoring, WA. Compiled by Holly Raudino. Department of Biodiversity, Conservation and Attractions. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 369.** The State of Western Australia (2025). Bilby monitoring - Dziminski, M. A., Carpenter, F. M., Moore, H., and Harrison, N. WA Department of Biodiversity, Conservation and Attractions. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 370.** The State of Western Australia (2025). Bilby, Boodie (Barrow Island x Shark Bay hybrid), Mala, Golden Bandicoot, Malleefowl and Great Desert Skink monitoring. Compiled by Cheryl Lohr. WA Department of Biodiversity, Conservation and Attractions. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 371.** The University of Newcastle (2025). Long term monitoring of the Green and Golden Bell Frog (*Litoria aurea*) at Kooragang Island, NSW. Collected through the Kooragang Island-Wide Survey program for Green and Golden Bell Frogs, School of Environmental and Life Sciences, University of Newcastle. Data compiled by Colin McHenry. The University of Newcastle. Aggregated for the Australian Threatened Species Index, an output of the NESP

- Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 372.** Thomson RB, Alderman RL, Tuck GN, Hobday AJ (2025). Shy Albatross monitoring. Compiled by Rachael Alderman and Sheryl Hamilton. Thomson RB, Alderman RL, Tuck GN, Hobday AJ (2015). Effects of climate change and fisheries bycatch on Shy Albatross (*Thalassarche cauta*) in Southern Australia. PLoS ONE 10(6): e0127006. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 - 373.** Tulloch A (2025). Post-fire distribution abundance and habitat use of small mammals in Royal National Park. Compiled by Ayesha Tulloch. The University of Sydney. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 - 374.** UQ and DETSI (2025). Yellow-footed Rock-wallaby monitoring. Compiled by Jennifer Silcock based on research article: Silcock JL, Gynther IC, Horsup A, Molyneux J, Wattz TL, Fairfax RJ, Healy AJ, Murphy D, McRae PD (2024) Half a century of survey data reveal population recovery but persistent threats for the Vulnerable yellow-footed rock-wallaby in Queensland, Australia. Oryx DOI: <https://doi.org/10.1017/S0030605324000760>. The University of Queensland, and Qld Department of the Environment, Tourism, Science and Innovation. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 - 375.** Vic Government (2025). Helmeted Honeyeater (Yellingbo). Compiled by Bruce Quin. The State of Victoria. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 - 376.** Vic Government (2025). Long-footed Potoroo camera trap monitoring in the Barry Mountains. Robley, A., Thomson, J., Johnson, G., Wemyss, E., Woodford, L. and Melgaard, G. (2023). Barry Mountains Ark - managing the Great Dividing Range Long-footed Potoroo population 2007-2022. Arthur Rylah Institute for Environmental Research. Technical Report Series No. 359. Department of Energy, Environment and Climate Action, Heidelberg, Victoria. https://www.ari.vic.gov.au/__data/assets/pdf_file/0035/678338/ARI-Technical-Report-359-Barry-Mountains-Ark.pdf. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 - 377.** VIC Government (2025). Mainland Ground Parrot (DELWP). Data compiled by Lucas Bluff. The State of Victoria. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 - 378.** VIC Government (2025). Southern Eastern Bristlebird (Victoria). Compiled by Lucas Bluff. The State of Victoria. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 - 379.** Vic Government (2025). Victorian Biodiversity Atlas data extract - plants. Compiled by Mel Hardie. The State of Victoria. Aggregated for the Australian Threatened Species Index, an

- output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 380.** Vic Government (2025). Victorian Biodiversity Atlas data extract 2020 - Southern Brown Bandicoot, Eastern Barred Bandicoot, Brush-tailed Phascogale, Southern Greater Glider and Yellow-bellied Glider. Compiled by Mel Hardie. The State of Victoria. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 381.** WA Government (2025). DBCA threatened plants monitoring - Midwest, South Coast and Warren. Compiled by DBCA (contact Carl Gosper). The State of Western Australia. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 382.** WA Government (2025). DBCA threatened plants monitoring - Wheatbelt. Compiled by DBCA (contact Carl Gosper). The State of Western Australia. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 383.** WA Government (2025). Dibbler Recovery Program Monitoring - Department of Biodiversity, Conservation and Attractions, WA. Compiled by Tony Friend. The State of Western Australia. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 384.** WA Government (2025). Dirk Hartog Island Return to 1616 Source population monitoring - Department of Biodiversity, Conservation and Attractions, WA. Compiled by Colleen Sims. The State of Western Australia. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 385.** WA Government (2025). Dirk Hartog Island wren monitoring - Department of Biodiversity, Conservation and Attractions, WA. Compiled by Allan Burbidge. The State of Western Australia. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 386.** WA Government (2025). Gorgon Offset - Department of Biodiversity, Conservation and Attractions, WA. Compiled by Colleen Sims. The State of Western Australia. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 387.** WA Government (2025). Kingston Project (Western Ringtail Possum) - Department of Biodiversity, Conservation and Attractions, WA. Compiled by Marika Maxwell. The State of Western Australia. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 388.** WA Government (2025). Landscape Conservation Initiative - Department of Biodiversity, Conservation and Attractions, WA. Compiled by Ian Radford. The State of Western Australia. Aggregated for the Australian Threatened Species Index, an output of the NESP

- Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 389.** WA Government (2025). Montebello Renewal - Department of Biodiversity, Conservation and Attractions, WA. Compiled by Colleen Sims. The State of Western Australia. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 - 390.** WA Government (2025). Numbat Recovery Program Monitoring - Department of Biodiversity, Conservation and Attractions, WA. Compiled by Tony Friend. The State of Western Australia. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 - 391.** WA Government (2025). Pingaring Spider Orchid long term monitoring - Department of Biodiversity, Conservation and Attractions, WA. Compiled by Brett Beecham. The State of Western Australia. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 - 392.** WA Government (2025). Shark Bay World Heritage Threatened Species (Biodiversity Conservation Initiative - Caring for Country) and Dirk Hartig Island Return to 1616 Source population monitoring - Department of Biodiversity, Conservation and Attractions, WA. Compiled by Colleen Sims. The State of Western Australia. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 - 393.** WA Government (2025). Upper Warren Region fauna monitoring - Department of Biodiversity, Conservation and Attractions, WA. Western Shield, Regional and Fire Management Services, and Biodiversity and Conservation Science (aggregated data set). Compiled by Marika Maxwell. The State of Western Australia. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 - 394.** WA Government (2025). Western Shield Monitoring - Department of Biodiversity, Conservation and Attractions, WA. Compiled by Michelle Drew. The State of Western Australia. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
 - 395.** Wassens, S. (2025). Long term monitoring of the frog populations, including Southern Bell Frog (*Litoria raniformis*) across the mid and Lower Murrumbidgee floodplain wetlands. Collected through multiple projects including - PhD Wassens, S. (2005) The use of Space by the Endangered Southern Bell Frog (*Litoria raniformis*) in the semi-arid region of New South Wales, Australia. Charles Sturt University. Ecological responses to Environmental water (2006-2010) funded under the NSW River Bank program, NSW Government Murrumbidgee Short Term Intervention Monitoring Programs (2011-2014) Commonwealth Environmental Water Holder, Commonwealth Government Long-Term Intervention Monitoring Program (2014-2019) Commonwealth Environmental Water Holder, Commonwealth Government Monitoring Evaluation and Research Program (2019-2024) Commonwealth Environmental Water Holder, Commonwealth Government School of

- Agricultural, Environmental and Veterinary Sciences, Charles Sturt University. Data compiled and supplied by Prof. Skye Wassens. Charles Sturt University. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 396.** Webb J. (2025). Kakadu Northern Quoll monitoring. Compiled by Jonathan Webb. University of Technology Sydney. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 397.** West, M., Hunter, D., Scroggie, M., Johnson, G., Smith, S., McCarthy, M., Gillespie, G. (2025). Estimates of declines in site occupancy for *Litoria spenceri* in Victoria. West, M., Hunter, D., Scroggie, M., Johnson, G., Smith, S., McCarthy, M., Gillespie, G. (2024). Harnessing historic records and long-term monitoring data to evaluate amphibian extinction dynamics. *Biological Conservation* 292, 110477. The University of Melbourne. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 398.** White, A., Pyke, G. (2025). Monitoring of *Litoria aurea* in Eastlakes, Sydney. White, A., Pyke, G. (1996). Distribution and conservation status of the Green and Golden Bell Frog *Litoria aurea* in New South Wales. *Australian Zoologist* 30, 177-189. Biosphere Environmental Consultants. Biosphere Environmental Consultants. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 399.** Wilson B.A. (2025). *Pseudomys novaehollandiae* monitoring. Long-term fluctuations in distribution and populations of a threatened rodent (*Pseudomys novaehollandiae*) in coastal woodlands of the Otway Ranges, Victoria. Compiled by Barbara Wilson. Wilson Barbara A., Lock Mandy, Garkaklis Mark J. (2017) Long-term fluctuations in distribution and populations of a threatened rodent (*Pseudomys novaehollandiae*) in coastal woodlands of the Otway Ranges, Victoria: a regional decline or extinction?. *Australian Mammalogy* 40, 281-293. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 400.** Winter J (2025). Yellow-bellied Glider (Wet Tropics) Project - Queensland Parks and Wildlife Service. Compiled by John Winter. The State of Queensland. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.
- 401.** Zoos Victoria (2025). Lowland Leadbeater's Possum Population Monitoring. Compiled by Dan Harley. Zoos Victoria. Aggregated for the Australian Threatened Species Index, an output of the NESP Threatened Species Recovery Hub and operated by the Terrestrial Ecosystem Research Network, The University of Queensland.